- 4 NOV 2015

日500200181日135. (THE NATIO OPITS / JOCIS

IDAS form 1—Application details

(Sustainable Planning Act 2009 version 4.2 effective 3 August 2015)

This form must be used for ALL development applications.

SKA OLLOV You MUST complete ALL questions that are stated to be a mandatory requirement unless otherwise identified on this form.

For all development applications, you must:

- complete this form (IDAS form 1—Application details)
- complete any other forms relevant to your application
- provide any mandatory supporting information identified on the forms as being required to accompany your application.

Attach extra pages if there is insufficient space on this form.

All terms used on this form have the meaning given in the Sustainable Planning Act 2009 (SPA) or the Sustainable Planning Regulation 2009.

This form and any other IDAS form relevant to your application must be used for development applications relating to strategic port land and Brisbane core port land under the Transport Infrastructure Act 1994 and airport land under the Airport Assets (Restructuring and Disposal) Act 2008. Whenever a planning scheme is mentioned, take it to mean land use plan for the strategic port land, Brisbane core port land or airport land.


PLEASE NOTE: This form is not required to accompany requests for compliance assessment.

Mandatory requirements

Applicant details (Note: the applicant is the person responsible for making the application and need not be the owner of the land. The applicant is responsible for ensuring the information provided on all IDAS application forms is correct. Any development permit or preliminary approval that may be issued as a consequence of this application will be issued to the applicant.)

Name/s (individual or company name in full)	1103	IN FAIR IA	J. W. J. of E.	
For companies, contact name				
Postal address	4.0	Res STA		
	Suburb	Partibons	i 1785	
	State		Postcode	
	Country	Charles Int.		4577
Contact phone number	041	1124330 R	EN JENTZ	นา กิบเมือง
Mobile number (non-mandatory requirement)	Out	C 693693	Moon	AVALUALEY
Fax number (non-mandatory requirement)		<u> </u>		NER.
Λ	_			

Keneyo+#: 107123. 4/11/2015.





Em	nail address (non-mandatory requirement)
	@
	plicant's reference number (non-mandatory uirement)
1,	What is the nature of the development proposed and what type of approval is being sought?
Tal	ole A—Aspect 1 of the application (If there are additional aspects to the application please list in Table B—Aspect 2.)
a)	What is the nature of the development? (Please only tick one box.)
	☐ Material change of use ☐ Reconfiguring a lot ☐ Building work ☐ Operational work
b)	What is the approval type? (Please only tick one box.)
	Preliminary approval Preliminary approval Development permit under s241 of SPA under s241 and s242 of SPA
c)	Provide a brief description of the proposal, including use definition and number of buildings or structures where applicable (e.g. six unit apartment building defined as a <i>multi-unit dwelling</i> , 30 lot residential subdivision etc.)
	The contract of the contract o
d)	What is the level of assessment? (Please only tick one box.)
	Impact assessment Code assessment
Tak	
Add	ole B—Aspect 2 of the application (If there are additional aspects to the application please list in Table.C— litional aspects of the application.)
a)	What is the nature of development? (Please only tick one box.)
	Material change of use Reconfiguring a lot Building work Operational work
b)	What is the approval type? (Please only tick one box.)
	Preliminary approval Preliminary approval Development under s241 of SPA under s241 and s242 permit of SPA
c)	Provide a brief description of the proposal, including use definition and number of buildings or structures where applicable (e.g. six unit apartment building defined as a <i>multi-unit dwelling</i> , 30 lot residential subdivision etc.)
į	
d)	What is the level of assessment?
	Impact assessment Code assessment
Tab	de C—Additional aspects of the application (If there are additional aspects to the application please list in a arate table on an extra page and attach to this form.)
	Refer attached schedule Not required

2. Location of the premises (Complete Table D and/or Table E as applicable. Identify each lot in a separate row.)										
Table D—Street address and lot on plan for the premises or street address and lot on plan for the land adjoining or adjacent to the premises (Note: this table is to be used for applications involving taking or interfering with water.) (Attach a separate schedule if there is insufficient space in this table.)										
	Stre	et address a	ınd lot on plan (Al	l lots mus	t be listed.)				
	Stre	et address a	i <mark>nd</mark> lot on plan for water but adjoinin	the land a	adjoining o	or adjacent to	the pr	remises (/	Appropriat	e for sted)
Street			water but adjoilin	y or aujau	GIIL LO IAIN	Lot on plar				vernment area
						description			(e.g. Logai	
Lot	Unit no.	Street no.	Street name and suburb/ locality na	ıme	Post- code		Pian ty _l and pla			
i)		65 REET	St Paris	NUTLENS	4877				Doog	Let 19
ii)				•		·				
iii)										
			(If the premises table. Non-mand		nultiple zo	nes, clearly id	dentify	the relev	ant zone/s	s for each lot in a
Lot	Applic	able zone / pr	ecinct	Applicabl	le local plar	n / precinct Applicable overlay/s				
i)										
ii)						· · · · ·				
iii)										
Table i adjoinii space i	ng or a	djacent to la	inates (Appropria nd e.g. channel d	te for deve redging in	etopment i Moreton I	n remote are Bay.) (Attach	as, ov a sep	er part of arate sche	a lot or in edule if th	water not ere is insufficient
Coord (Note:		each set of co	oordinates in a se	parate rov	w)	Zone reference	1	tum		l government (if applicable)
Easting	9	Northing	Latitude	Long	jitude					
								GDA94	4	
								WGS8	4	
								other		<u> </u>
3. Tota	il area	of the prem	ises on which th	ie develo	pment is	proposed (in	dicate	square n	netres)	
	-									
4. Curi	4. Current use/s of the premises (e.g. vacant land, house, apartment building, cane farm etc.)									
	Floure									

5. Are there any current approvals (mandatory requirement)								
No Yes—provide details	below							
List of approval reference/s	Date approved (dd/mm/yy)	Date approval lapses (dd/mm/yy)						
6. Is owner's consent required for th	is application? (Refer to notes at the	end of this form for more information.)						
☐ No								
Yes—complete either Table F, Table	G or Table H as applicable							
Table F	·							
Name of owner/s of the land	123/aut / Fraisio							
I/We, the above-mentioned owner/s of the		olication.						
Signature of owner/s of the land								
Date								
Table G								
Name of owner/s of the land								
The owner's written consent is attached	d or will be provided separately to the	assessment manager.						
Table H								
Name of owner/s of the land								
By making this application, I, the applicant	, declare that the owner has given written o	consent to the making of the application.						
7. Identify if any of the following app	ly to the premises (Tick applicable bo	ox/es.)						
Adjacent to a water body, watercours	se or aquifer (e.g. creek, river, lake, ca	nal)—complete Table I						
On strategic port land under the Tran	osport Infrastructure Act 1994—comple	te Table J						
in a tidal water area—complete Table	e K							
On Brisbane core port land under the	e Transport Infrastructure Act 1994 (No	table requires completion.)						
On airport land under the Airport Ass	ets (Restructuring and Disposal) Act 2	008 (no table requires completion)						
Listed on either the Contaminated La the Environmental Protection Act 199		al Management Register (EMR) under						
Table I								
Name of water body, watercourse or aquife	er							

Table J							
Lot on plan description for strategic port la	n d	Port auth	ority for the lot				
Table K							
Name of local government for the tidal area	a (if applicable)	Port author	ority for the tidal area (if applicable)				
	• •						
8. Are there any existing easements on the premises? (e.g. for vehicular access, electricity, overland flow, water etc)							
No Yes—ensure the type, location and dimension of each easement is included in the plans submitted							
9. Does the proposal include new building work or operational work on the premises? (Including any services)							
No Yes—ensure the nature,	location and dime	ension of propo	sed works are included in plans submitted				
10. Is the payment of a portable long end of this form for more information		y applicable to	this application? (Refer to notes at the				
No—go to question 12	s						
11. Has the portable long service leaving information.)	e levy been paid	? (Refer to note	es at the end of this form for more				
No							
Yes—complete Table L and submit w receipted QLeave form	ith this application	the yellow loc	al government/private certifier's copy of the				
Table L							
Amount paid		Date paid (dd/mm/yy)	QLeave project number (6 digit number starting with A, B, E, L or P)				
12. Has the local government agreed section 96 of the Sustainable Plan	to apply a supers ining Act 2009?	seded plannin	g scheme to this application under				
No No							
Yes—please provide details below							
Name of local government	Date of writter by local gover (dd/mm/yy)		Reference number of written notice given by local government (if applicable)				

13. List below all of the forms and supporting information that accompany this application (Include all IDAS forms, checklists, mandatory supporting information etc. that will be submitted as part of this application)

Description of attachment or title of attachment	Method of lodgement to assessment manager

	14.	Appl	icant's	declaration	ı
--	-----	------	---------	-------------	---

By making this application, I declare that all information in this application is true and correct (Note: it is unlawful to provide false or misleading information)

Notes for completing this form

Section 261 of the Sustainable Planning Act 2009 prescribes when an application is a properly-made application.
Note, the assessment manager has discretion to accept an application as properly made despite any non-compliance with the requirement to provide mandatory supporting information under section 260(1)(c) of the Sustainable Planning Act 2009

Applicant details

Where the applicant is not a natural person, ensure the applicant entity is a real legal entity.

Question 1

Schedule 3 of the Sustainable Planning Regulation 2009 identifies assessable development and the type of
assessment. Where schedule 3 identifies assessable development as "various aspects of development" the
applicant must identify each aspect of the development on Tables A, B and C respectively and as required.

Question 6

Section 263 of the Sustainable Planning Act 2009 sets out when the consent of the owner of the land is required for an application. Section 260(1)(e) of the Sustainable Planning Act 2009 provides that if the owner's consent is required under section 263, then an application must contain, or be accompanied by, the written consent of the owner, or include a declaration by the applicant that the owner has given written consent to the making of the application. If a development application relates to a state resource, the application is not required to be supported by evidence of an allocation or entitlement to a state resource. However, where the state is the owner of the subject land, the written consent of the state, as landowner, may be required. Allocation or entitlement to the state resource is a separate process and will need to be obtained before development commences.

Question 7

 If the premises is listed on either the Contaminated Land Register (CLR) or the Environmental Management Register (EMR) under the *Environmental Protection Act 1994* it may be necessary to seek compliance assessment. Schedule 18 of the Sustainable Planning Regulation 2009 identifies where compliance assessment is required.

Question 11

- The Building and Construction Industry (Portable Long Service Leave) Act 1991 prescribes when the portable long service leave levy is payable.
- The portable long service leave levy amount and other prescribed percentages and rates for calculating the levy
 are prescribed in the Building and Construction Industry (Portable Long Service Leave) Regulation 2002.

Question 12

- The portable long service leave levy need not be paid when the application is made, but the Building and
 Construction Industry (Portable Long Service Leave) Act 1991 requires the levy to be paid before a development
 permit is issued.
- Building and construction industry notification and payment forms are available from any Queensland post office or agency, on request from QLeave, or can be completed on the QLeave website at www.qleave.qld.gov.au. For further information contact QLeave on 1800 803 481 or visit www.qleave.qld.gov.au.

Privacy—The information collected in this form will be used by the Department of Infrastructure, Local Government and Planning (DILGP), assessment manager, referral agency and/or building certifier in accordance with the processing and assessment of your application. Your personal details should not be disclosed for a purpose outside of the IDAS process or the provisions about public access to planning and development information in the *Sustainable Planning Act 2009*, except where required by legislation (including the *Right to Information Act 2009*) or as required by Parliament. This information may be stored in relevant databases. The information collected will be retained as required by the *Public Records Act 2002*.

OFFICE USE ONLY									
Date received				Reference numbers					
NOTIFICATION OF EN	GAGE	MENT OF A PRIVA	TE (CERTIFIER					
To Council. I have been engaged as the private certifier for the building work referred to in this application					ifier fo r the				
Date of engagement Name				BSA Certification license number		Building classification/s			
QLEAVE NOTIFICATION	ON AN	D PAYMENT (For co	omp	oletion by as:	ses	sment man	ager or private	cer	tifier if
Description of the work		QLeave project number		Amount paid (\$)		Date paid	Date receipted form sighted by assessment manager		Name of officer who sighted the form
			a	29.70		411/15			

The Sustainable Planning Act 2009 is administered by the Department of Infrastructure, Local Government and Planning. This form and all other required application materials should be sent to your assessment manager and any referral agency.

IDAS form 6—Building or operational work assessable against a planning scheme

(Sustainable Planning Act 2009 version 3.1 effective 3 August 2015)

This form must be used for development applications for building work or operational work assessable against a planning scheme.

You **MUST** complete **ALL** questions that are stated to be a mandatory requirement unless otherwise identified on this form.

For all development applications, you must:

- complete IDAS form 1—Application details
- complete any other forms relevant to your application
- provide any mandatory supporting information identified on the forms as being required to accompany your application.

Attach extra pages if there is insufficient space on this form.

All terms used on this form have the meaning given in the *Sustainable Planning Act 2009* (SPA) or the Sustainable Planning Regulation 2009.

This form must be used for building work or operational work relating on strategic port land and Brisbane core port land under the *Transport Infrastructure Act 1994* and airport land under the *Airport Assets (Restructuring and Disposal) Act 2008* that requires assessment against the land use plan for that land. Whenever a planning scheme is mentioned, take it to mean land use plan for the strategic port land, Brisbane core port land or airport land.

Mandatory requirements		
What is the nature of the work the boxes.)		planning scheme? (Tick all applicable
Building work—complete Tab	le A \(\sum \) Operational work—	complete Table B
building)?	sociated with this application? (e.g. ma	inderpinning, moving or demolishing a
List of approval reference/s	Date approved (dd/mm/yy)	Date approval lapses (dd/mm/yy)



Table B								
a) What is the nature of the operational work? (Tick all applicable boxes.)								
Road works Stormwater Water infrastructure								
Drainage works Earthworks Sewerage infrastructure								
Landscaping Signage Clearing vegetation under the planning scheme								
Other—provide details TRIVELIAN ACCORDS								
b) Is the operational work necessary to facilitate the creation of new lots? (E	g. subdivision.)							
No Yes-specify the number of lots being created								
c) Are there any current approvals associated with this application? (E.g. ma	aterial change of us	se.)						
No Yes—provide details below								
List of approval reference/s Date approved (dd/mm/yy)	Date approval I	apses (dd/mm/yy)						
2 What is the dellar value of the proposed building work?		¢						
2. What is the dollar value of the proposed building work? (Inc GST, materials and labour.)								
(IIIO OOT, IIIaleilais and Iabout.)								
3. What is the dollar value of the proposed operational work? (Inc GST, materials and labour.)		\$ 5,000 - 0°0						
3. What is the dollar value of the proposed operational work?		\$ 5,600 - OO						
3. What is the dollar value of the proposed operational work? (Inc GST, materials and labour.)	mpanies this appi							
3. What is the dollar value of the proposed operational work? (Inc GST, materials and labour.) Mandatory supporting information	mpanies this appl Confirmation of lodgement	Ication						
3. What is the dollar value of the proposed operational work? (Inc GST, materials and labour.) Mandatory supporting information 4. Confirm that the following mandatory supporting information according to the proposed operational work? (Inc GST, materials and labour.)	Confirmation of	Ication Method of						
3. What is the dollar value of the proposed operational work? (Inc GST, materials and labour.) Mandatory supporting information 4. Confirm that the following mandatory supporting information according to the proposed operational work? Mandatory supporting information	Confirmation of	Ication Method of						
3. What is the dollar value of the proposed operational work? (Inc GST, materials and labour.) Mandatory supporting information 4. Confirm that the following mandatory supporting information according according to the following mandatory supporting information All applications involving building work or operational work A site plan drawn to an appropriate scale (1:100, 1:200 or 1:500 are	Confirmation of lodgement	Ication Method of						
3. What is the dollar value of the proposed operational work? (Inc GST, materials and labour.) Mandatory supporting information 4. Confirm that the following mandatory supporting information according according to the following mandatory supporting information All applications involving building work or operational work A site plan drawn to an appropriate scale (1:100, 1:200 or 1:500 are recommended scales) which shows the following: • the location and site area of the land to which the application relates (relevant land) • the north point	Confirmation of lodgement	Ication Method of						
3. What is the dollar value of the proposed operational work? (Inc GST, materials and labour.) Mandatory supporting information 4. Confirm that the following mandatory supporting information according according to the following information All applications involving building work or operational work A site plan drawn to an appropriate scale (1:100, 1:200 or 1:500 are recommended scales) which shows the following: • the location and site area of the land to which the application relates (relevant land)	Confirmation of lodgement	Ication Method of						
3. What is the dollar value of the proposed operational work? (Inc GST, materials and labour.) Mandatory supporting information 4. Confirm that the following mandatory supporting information according according to the following information All applications involving building work or operational work A site plan drawn to an appropriate scale (1:100, 1:200 or 1:500 are recommended scales) which shows the following: • the location and site area of the land to which the application relates (relevant land) • the north point • the allotment layout showing existing lots, any proposed lots (including the dimensions of those lots), existing or proposed road reserves, building envelopes and existing or proposed open space (note: numbering is	Confirmation of lodgement	Ication Method of						
3. What is the dollar value of the proposed operational work? (Inc GST, materials and labour.) Mandatory supporting information 4. Confirm that the following mandatory supporting information according according to the following mandatory supporting information All applications involving building work or operational work A site plan drawn to an appropriate scale (1:100, 1:200 or 1:500 are recommended scales) which shows the following: • the location and site area of the land to which the application relates (relevant land) • the north point • the boundaries of the relevant land • the allotment layout showing existing lots, any proposed lots (including the dimensions of those lots), existing or proposed road reserves, building	Confirmation of lodgement	Ication Method of						
3. What is the dollar value of the proposed operational work? (Inc GST, materials and labour.) Mandatory supporting Information 4. Confirm that the following mandatory supporting information according according to the following mandatory supporting information All applications involving building work or operational work A site plan drawn to an appropriate scale (1:100, 1:200 or 1:500 are recommended scales) which shows the following: • the location and site area of the land to which the application relates (relevant land) • the north point • the boundaries of the relevant land • the allotment layout showing existing lots, any proposed lots (including the dimensions of those lots), existing or proposed road reserves, building envelopes and existing or proposed open space (note: numbering is required for all lots) • any existing or proposed easements on the relevant land and their	Confirmation of lodgement	Ication Method of						

A statement about how the proposed development addresses the local governments by planning schemes and any other planning documents relevant to the application. A statement addressing the relevant part(s) of the State Development A statement addressing the relevant part(s) of the State Development Applications for building work (Including extensions and demolition that is assessable development) Floor plans drawn to an appropriate scale (1:50, 1:100 or 1:200 are recommended scales) which show the following: • the north point • the intended use of each area on the floor plan (for commercial, industrial or mixed use developments only) • the room layout (for residential development only) with all rooms clearly labelled • the existing and the proposed built form (for extensions only) • the gross floor area of each proposed floor area. Elevations drawn to an appropriate scale (1:100, 1:200 or 1:500 are recommended scales) which show plans of all building elevations and facades, clearly labelled to identify crientation (e.g. north elevation). Plans showing the size, location, proposed site cover, proposed maximum number of story, and proposed maximum height above natural ground level of the proposed new building work. Plans showing the extent of any demolition that is assessable development. Confirmed Not applicable Applications for operational work involving earthworks (filling and excavating) Drawings showing: • existing and proposed contours • areas to be cut and filled • the location of any promanent survey marks or reference stations used as datum for the works • the location for poperational work involving roadworks Drawings showing: • existing and proposed contours • the defined flood level (if applicable) • the defined flood fevel (if applicable) • the defined flood fevel (if applicable) • the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points • information for each curve inc		1	
Assessment Provisions (SDAP). Not applicable Applications for building work (Including extensions and demolition that is assessable development) Floor plans drawn to an appropriate scale (1:50, 1:00 or 1:200 are recommended scales) which show the following: • the north point • the intended use of each area on the floor plan (for commercial, industrial or mixed use developments only) • the room layout (for residential development only) with all rooms clearly labelled • the existing and the proposed built form (for extensions only) • the gross floor area of each proposed floor area. Elevations drawn to an appropriate scale (1:100, 1:200 or 1:500 are recommended scales) which show plans of all building elevations and facades, clearly labelled to dentify orientalion (e.g. north elevation). Plans showing the size, location, proposed site cover, proposed maximum number of storeys, and proposed maximum height above natural ground level of the proposed new building work. Plans showing the extent of any demolition that is assessable development. Confirmed Not applicable Applications for operational work involving earthworks (filling and excavating) Drawings showing: Confirmed Not applicable • xisting and proposed contours Confirmed Not applicable • xisting and proposed contours Confirmed Not applicable • the location of any proposed relatining walls on the relevant land and their height • the defined flood level (if applicable) • the fill level (if applicable). Applications for operational work involving roadworks Drawings showing: Confirmed Not applicable • wisting and proposed contours Confirmed Not applicable • the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points • wisting and proposed contours Confirmed Not applicable • the centreline or construction line showing chainages and offsets, curve radii, are length, tangent length, superelevation (if applic	government's planning schemes and any other planning documents relevant	Confirmed	
Floor plans drawn to an appropriate scale (1:50, 1:100 or 1:200 are recommended scales) which show the following: • the north point • the intended use of each area on the floor plan (for commercial, industrial or mixed use developments only) • the room layout (for residential development only) with all rooms clearly labelled • the existing and the proposed built form (for extensions only) • the gross floor area of each proposed floor area. Elevations drawn to an appropriate scale (1:100, 1:200 or 1:500 are recommended scales) which show plans of all building elevations and facades, clearly labelled to identify orientation (e.g. north elevation). Plans showing the size, location, proposed site cover, proposed maximum number of storeys, and proposed maximum height above natural ground level of the proposed new building work. Plans showing the extent of any demolition that is assessable development. Applications for operational work involving earthworks (filling and excaveting) Drawings showing: • existing and proposed contours • areas to be cut and filled • the location and level of any permanent survey marks or reference stations used as datum for the works • the location and level of any permanent survey marks or reference stations used as datum for the works • the location of any proposed retaining walls on the relevant land and their height • the defined flood level (if applicable) • the fill level (if applicable). Applications for operational work involving roadworks Drawings showing: • existing and proposed contours • the construction line is not the centreline of the road and all intersection points • information for each curve including tangent point chainages and offsets, curve radil, arc length, tangent length, superelevation (if applicable) and curve widening (if applicable) • the defined flood level (where not parallel to centreline) • edge of payement where keth is not constructed • position and extent of channelisation • coation and details of all traffic signs, guideposts, gua			
tecommended scales) which show the following: • the north point • the intended use of each area on the floor plan (for commercial, industrial or mixed use developments only) • the room layout (for residential development only) with all rooms clearly labelled • the existing and the proposed built form (for extensions only) • the gross floor area of each proposed floor area. Elevations drawn to an appropriate scale (1:100, 1:200 or 1:500 are recommended scales) which show plans of all building elevations and facades, clearly labelled to identify orientation (e.g., north elevation). Plans showing the size, location, proposed site cover, proposed maximum number of storeys, and proposed maximum height above natural ground level of the proposed new building work. Plans showing the extent of any demolition that is assessable development. Applications for operational work involving earthworks (filling and excavating) Applications for operational work involving earthworks (filling and excavating) Applications for operational work involving earthworks or reference stations used as datum for the works • existing and proposed contours • areas to be cut and filled • the location and level of any permanent survey marks or reference stations used as datum for the works • the location and level of any proposed retaining walls on the relevant land and their height • the defined flood level (if applicable) • the fill level (if applicable). Applications for operational work involving roadworks Drawings showing: • existing and proposed contours • the centreline or construction line is not the centreline of the road and all intersection points • information for each curve including tangent point chainages, bearings, offsots if the construction line is not the centreline of the road and all intersection points • information for each curve including tangent point chainages and offsets, curve radii, arc length, tangent length, superelevation (if applicable) and curve wideling if applicable) • kerb lines includi	Applications for building work (including extensions and demolition that	is assessable devel	opment)
the north point the intended use of each area on the floor plan (for commercial, industrial or mixed use developments only) the room layout (for residential development only) with all rooms clearly labelled the existing and the proposed built form (for extensions only) the gross floor area of each proposed floor area. Elevations drawn to an appropriate scale (1:100, 1:200 or 1:500 are recommended scales) which show plans of all building elevations and facades, clearly labelled to identify orientation (e.g. north elevation). Plans showing the size, location, proposed sile cover, proposed maximum number of storeys, and proposed maximum height above natural ground level of the proposed new building work. Plans showing the extent of any demolition that is assessable development. Applications for operational work involving earthworks (filling and excavating) Drawings showing: existing and proposed contours areas to be cut and filled the location and level of any permanent survey marks or reference stations used as datum for the works the location and level of any premanent survey marks or reference stations used as datum for the works the location of any proposed retaining walls on the relevant land and their height the defined flood level (if applicable) Applications for operational work involving roadworks Drawings showing: existing and proposed contours the defined flood level (if applicable) Applications for operational work involving roadworks Drawings showing: existing and proposed contours the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points information for each curve including tangent point chainages and offsets, curve radii, arc length, tangent length, superelevation (if applicable) and curve widening (if applicable) exerb lines including kerb radii (where not parallel to centreline) edge of powement where kerb is not constructed position and extent of channelisation location and de		Confirmed	
The intended use of each area on the floor plan (for commercial, industrial or mixed use developments only) The room layout (for residential development only) with all rooms clearly labelled The existing and the proposed built form (for extensions only) The gross floor area of each proposed floor area. Elevations drawn to an appropriate scale (1:100, 1:200 or 1:500 are recommended scales) which show plans or all building elevations and facades, clearly labelled to identify orientation (e.g. north elevation). Plans showing the size, location, proposed site cover, proposed maximum number of storeys, and proposed maximum helpht above natural ground level of the proposed new building work. Plans showing the extent of any demolition that is assessable development. Confirmed Not applicable		Not applicable	
or mixed use developments only) the room layout (for residential development only) with all rooms clearly labelled the existing and the proposed built form (for extensions only) the gross floor area of each proposed floor area. Elevations drawn to an appropriate scale (1:100, 1:200 or 1:500 are recommended scales) which show plans of all building elevations and facades, clearly labelled to identify orientation (e.g. north elevation). Plans showing the size, location, proposed site cover, proposed maximum number of storeys, and proposed maximum height above natural ground level of the proposed new building work. Plans showing the extent of any demolition that is assessable development. Applications for operational work involving earthworks (filling and excavating) Drawings showing: existing and proposed contours areas to be cut and filled the location and level of any permanent survey marks or reference stations used as datum for the works the location of any proposed retaining walls on the relevant land and their height the defined flood level (if applicable) the fill level (if applicable). Applications for operational work involving roadworks Drawings showing: existing and proposed contours the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points information for each curve including tangent point chainages and offsets, curve radii, are length, tangent length, superelevation (if applicable) and curve widening (if applicable) kerb lines including kerb radii (where not parallel to centreline) edge of pavement where kerb is not constructed position and extent of channellsation location and details of all traffic signs, guideposts, guardrail and other street furniture	· · · · · · · · · · · · · · · · · · ·		
the room layout (for residential development only) with all rooms clearly labelled the existing and the proposed built form (for extensions only) the gross floor area of each proposed floor area. Elevations drawn to an appropriate scale (1:100, 1:200 or 1:500 are recommended scales) which show plans of all building elevations and facades, clearly labelled to identify orientation (e.g. north elevation). Plans showing the size, location, proposed site cover, proposed maximum mumber of storeys, and proposed maximum height above natural ground level of the proposed new building work. Plans showing the extent of any demolition that is assessable development.			
the existing and the proposed built form (for extensions only) the gross floor area of each proposed floor area. Elevations drawn to an appropriate scale (1:100, 1:200 or 1:500 are recommended scales) which show plans of all building elevations and facades, clearly labelled to identify orientation (e.g., north elevation). Plans showing the size, location, proposed site cover, proposed maximum number of storeys, and proposed maximum height above natural ground level of the proposed new building work. Plans showing the extent of any demolition that is assessable development. Applications for operational work involving earthworks (filling and excavating) Drawings showing: existing and proposed contours areas to be cut and filled the location and level of any permanent survey marks or reference stations used as datum for the works the location of any proposed retaining walls on the relevant land and their height the defined flood level (if applicable) the defined flood level (if applicable) Applications for operational work involving roadworks Drawings showing: existing and proposed contours the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points information for each curve including tangent point chainages and offsets, curve radii, are length, tangent length, superelevation (if applicable) and curve widening (if applicable) keth lines including kerb radii (where not parallel to centreline) edge of pevement where kerb is not constructed position and extent of channelisation location and details of all traffic signs, guideposts, guardrail and other street furniture	the room layout (for residential development only) with all rooms clearly		
Elevations drawn to an appropriate scale (1:100, 1:200 or 1:500 are recommended scales) which show plans of all building elevations and cacades, clearly labelled to identify orientation (e.g. north elevation). Plans showing the size, location, proposed site cover, proposed maximum number of storeys, and proposed maximum height above natural ground level of the proposed new building work. Plans showing the extent of any demolition that is assessable development. Plans showing the extent of any demolition that is assessable development. Applications for operational work involving earthworks (filling and excavating) Drawings showing: existing and proposed contours areas to be cut and filled the location and level of any permanent survey marks or reference stations used as datum for the works the location and level of any permanent survey marks or reference stations used as datum for the works the defined flood level (if applicable) the fill level (if applicable) Applications for operational work involving roadworks Drawings showing: existing and proposed contours the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points information for each curve including tangent point chainages and offsets, curve radii, are length, tangent length, superelevation (if applicable) and curve widening (if applicable) kerb lines including kerb radii (where not parallel to centreline) edge of pavement where kerb is not constructed position and extent of channelisation location and details of all traffic signs, guideposts, guardrail and other street furrilture			
recommended scales) which show plans of all building elevations and facades, clearly labelled to identify orientation (e.g. north elevation). Plans showing the size, location, proposed site cover, proposed maximum number of storeys, and proposed maximum height above natural ground level of the proposed new building work. Plans showing the extent of any demolition that is assessable development. Plans showing the extent of any demolition that is assessable development. Applications for operational work involving earthworks (filling and excavating) Drawings showing: existing and proposed contours areas to be cut and filled the location and level of any permanent survey marks or reference stations used as datum for the works the location of any proposed retaining walls on the relevant land and their height the defined flood level (if applicable) Applications for operational work involving roadworks Drawings showing: existing and proposed contours the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points information for each curve including tangent point chainages and offsets, curve radii, arc length, tangent length, superelevation (if applicable) and curve widening (if applicable) kerb lines including kerb radii (where not parallel to centreline) and tangent point chainages (where not parallel to centreline) edge of pavement where kerb is not constructed position and extent of channellsation location and details of all traffic signs, guideposts, guardrail and other street furniture	the gross floor area of each proposed floor area.		
facades, clearly labelled to identify orientation (e.g. north elevation).	Elevations drawn to an appropriate scale (1:100, 1:200 or 1:500 are	Confirmed	
Plans showing the size, location, proposed site cover, proposed maximum number of storeys, and proposed maximum height above natural ground level of the proposed new building work. Plans showing the extent of any demolition that is assessable development. Plans showing the extent of any demolition that is assessable development. Applications for operational work involving earthworks (filling and excavating) Drawings showing: existing and proposed contours areas to be cut and filled the location and level of any permanent survey marks or reference stations used as datum for the works the location of any proposed retaining walls on the relevant land and their height the defined flood level (if applicable) the fill level (if applicable). Applications for operational work involving roadworks Drawings showing: existing and proposed contours the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points information for each curve including tangent point chainages and offsets, curve radii, arc length, tangent length, superelevation (if applicable) and curve widening (if applicable) kerb lines including kerb radii (where not parallel to centreline) and tangent point changes (where not parallel to centreline) edge of pavement where kerb is not constructed position and extent of channelisation location and details of all traffic signs, guideposts, guardrail and other street furniture		Not applicable	
number of storeys, and proposed maximum height above natural ground level of the proposed new building work. Plans showing the extent of any demolition that is assessable development. Applications for operational work involving earthworks (filling and excavating) Drawings showing: existing and proposed contours sareas to be cut and filled the location and level of any permanent survey marks or reference stations used as datum for the works the location of any proposed retaining walls on the relevant land and their height the defined flood level (if applicable) the fill level (if applicable). Applications for operational work involving roadworks Drawings showing: existing and proposed contours the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points information for each curve including tangent point chainages and offsets, curve radii, arc length, tangent length, superelevation (if applicable) and curve widening (if applicable) kerb lines including kerb radii (where not parallel to centreline) and tangent point changes (where not parallel to centreline) edge of pavement where kerb is not constructed position and extent of channelisation location and details of all traffic signs, guideposts, guardrail and other street furniture		· —	
of the proposed new building work. Plans showing the extent of any demolition that is assessable development. Plans showing the extent of any demolition that is assessable development. Applications for operational work Involving earthworks (filling and excavating) Drawings showing: • existing and proposed contours • areas to be cut and filled • the location and level of any permanent survey marks or reference stations used as datum for the works • the location of any proposed retaining walls on the relevant land and their height • the defined flood level (if applicable) • the fill level (if applicable) Applications for operational work involving roadworks Drawings showing: • existing and proposed contours • the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points • information for each curve including tangent point chainages and offsets, curve radii, arc length, tangent length, superelevation (if applicable) and curve widening (if applicable) • kerb lines including kerb radii (where not parallel to centreline) and tangent point changes (where not parallel to centreline) • edge of pavement where kerb is not constructed • position and extent of channelisation • location and details of all traffic signs, guideposts, guardrail and other street furniture		I =	
Plans showing the extent of any demolition that is assessable development. Confirmed Not applicable Applications for operational work involving earthworks (filling and excavating) Drawings showing: - existing and proposed contours - areas to be cut and filled - the location and level of any permanent survey marks or reference stations used as datum for the works - the location of any proposed retaining walls on the relevant land and their height - the defined flood level (if applicable) - the fill level (if applicable) - the fill level (if applicable) - existing and proposed contours - the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points - information for each curve including tangent point chainages and offsets, curve radii, arc length, tangent length, superelevation (if applicable) and curve widening (if applicable) - kerb lines including kerb radii (where not parallel to centreline) - edge of pavement where kerb is not constructed - position and extent of channelisation - location and details of all traffic signs, guideposts, guardrail and other street furniture		│	
Applications for operational work involving earthworks (filling and excavating) Drawings showing: - existing and proposed contours - areas to be cut and filled - the location and level of any permanent survey marks or reference stations used as datum for the works - the location of any proposed retaining walls on the relevant land and their height - the defined flood level (if applicable) - the fill level (if applicable). Applications for operational work involving roadworks Drawings showing: - existing and proposed contours - the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points - information for each curve including tangent point chainages and offsets, curve radii, arc length, tangent length, superelevation (if applicable) and curve widening (if applicable) - kerb lines including kerb radii (where not parallel to centreline) and tangent point changes (where not parallel to centreline) - edge of pavement where kerb is not constructed - position and extent of channelisation - location and details of all traffic signs, guideposts, guardrail and other street furniture			
Applications for operational work Involving earthworks (filling and excavating) Drawings showing: existing and proposed contours areas to be cut and filled the location and level of any permanent survey marks or reference stations used as datum for the works the location of any proposed retaining walls on the relevant land and their height the defined flood level (if applicable) the fill level (if applicable). Applications for operational work involving roadworks Drawings showing: existing and proposed contours the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points information for each curve including tangent point chainages and offsets, curve radii, arc length, tangent length, superelevation (if applicable) and curve widening (if applicable) kerb lines including kerb radii (where not parallel to centreline) and tangent point changes (where not parallel to centreline) edge of pavement where kerb is not constructed position and extent of channellsation location and details of all traffic signs, guideposts, guardrail and other street furniture	Figure 5 showing the extent of any demonstront that is assessable development.	l =	
Drawings showing: existing and proposed contours areas to be cut and filled the location and level of any permanent survey marks or reference stations used as datum for the works the location of any proposed retaining walls on the relevant land and their height the defined flood level (if applicable) the fill level (if applicable). Applications for operational work involving roadworks Drawings showing: existing and proposed contours the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points information for each curve including tangent point chainages and offsets, curve radii, arc length, tangent length, superelevation (if applicable) and curve widening (if applicable) kerb lines including kerb radii (where not parallel to centreline) edge of pavement where kerb is not constructed position and extent of channelisation location and details of all traffic signs, guideposts, guardrail and other street furniture		L 	
existing and proposed contours areas to be cut and filled the location and level of any permanent survey marks or reference stations used as datum for the works the location of any proposed retaining walls on the relevant land and their height the defined flood level (if applicable) the fill level (if applicable). Applications for operational work involving roadworks Drawings showing: existing and proposed contours the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points information for each curve including tangent point chainages and offsets, curve radii, arc length, tangent length, superelevation (if applicable) and curve widening (if applicable) kerb lines including kerb radii (where not parallel to centreline) and tangent point changes (where not parallel to centreline) edge of pavement where kerb is not constructed position and extent of channelisation location and details of all traffic signs, guideposts, guardrail and other street furniture		ating)	
areas to be cut and filled the location and level of any permanent survey marks or reference stations used as datum for the works the location of any proposed retaining walls on the relevant land and their height the defined flood level (if applicable) the fill level (if applicable). Applications for operational work involving roadworks Drawings showing: existing and proposed contours the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points information for each curve including tangent point chainages and offsets, curve radii, arc length, tangent length, superelevation (if applicable) and curve widening (if applicable) kerb lines including kerb radii (where not parallel to centreline) and tangent point changes (where not parallel to centreline) edge of pavement where kerb is not constructed position and extent of channelisation location and details of all traffic signs, guideposts, guardrail and other street furniture	Drawings showing:	l =	
the location and level of any permanent survey marks or reference stations used as datum for the works the location of any proposed retaining walls on the relevant land and their height the defined flood level (if applicable) the fill level (if applicable). Applications for operational work involving roadworks Drawings showing: existing and proposed contours the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points information for each curve including tangent point chainages and offsets, curve radii, arc length, tangent length, superelevation (if applicable) and curve widening (if applicable) kerb lines including kerb radii (where not parallel to centreline) and tangent point changes (where not parallel to centreline) edge of pavement where kerb is not constructed position and extent of channelisation location and details of all traffic signs, guideposts, guardrail and other street furniture		☐ Not applicable	
stations used as datum for the works the location of any proposed retaining walls on the relevant land and their height the defined flood level (if applicable) the fill level (if applicable). Applications for operational work involving roadworks Drawings showing: existing and proposed contours the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points information for each curve including tangent point chainages and offsets, curve radii, arc length, tangent length, superelevation (if applicable) and curve widening (if applicable) kerb lines including kerb radii (where not parallel to centreline) and tangent point changes (where not parallel to centreline) edge of pavement where kerb is not constructed position and extent of channelisation location and details of all traffic signs, guideposts, guardrail and other street furniture			
the location of any proposed retaining walls on the relevant land and their height the defined flood level (if applicable) the fill level (if applicable). Applications for operational work involving roadworks Drawings showing: existing and proposed contours the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points information for each curve including tangent point chainages and offsets, curve radii, arc length, tangent length, superelevation (if applicable) and curve widening (if applicable) kerb lines including kerb radii (where not parallel to centreline) and tangent point changes (where not parallel to centreline) edge of pavement where kerb is not constructed position and extent of channelisation location and details of all traffic signs, guideposts, guardrail and other street furniture			
the defined flood level (if applicable) the fill level (if applicable). Applications for operational work involving roadworks Drawings showing: existing and proposed contours the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points information for each curve including tangent point chainages and offsets, curve radii, arc length, tangent length, superelevation (if applicable) and curve widening (if applicable) kerb lines including kerb radii (where not parallel to centreline) edge of pavement where kerb is not constructed position and extent of channelisation location and details of all traffic signs, guideposts, guardrail and other street furniture	the location of any proposed retaining walls on the relevant land and their		
Applications for operational work involving roadworks Drawings showing: existing and proposed contours the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points information for each curve including tangent point chainages and offsets, curve radii, arc length, tangent length, superelevation (if applicable) and curve widening (if applicable) kerb lines including kerb radii (where not parallel to centreline) and tangent point changes (where not parallel to centreline) edge of pavement where kerb is not constructed position and extent of channelisation location and details of all traffic signs, guideposts, guardrail and other street furniture			
Drawings showing: • existing and proposed contours • the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points • information for each curve including tangent point chainages and offsets, curve radii, arc length, tangent length, superelevation (if applicable) and curve widening (if applicable) • kerb lines including kerb radii (where not parallel to centreline) and tangent point changes (where not parallel to centreline) • edge of pavement where kerb is not constructed • position and extent of channelisation • location and details of all traffic signs, guideposts, guardrail and other street furniture	the fill level (if applicable).		
 existing and proposed contours the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points information for each curve including tangent point chainages and offsets, curve radii, arc length, tangent length, superelevation (if applicable) and curve widening (if applicable) kerb lines including kerb radii (where not parallel to centreline) and tangent point changes (where not parallel to centreline) edge of pavement where kerb is not constructed position and extent of channelisation location and details of all traffic signs, guideposts, guardrail and other street furniture 	Applications for operational work involving roadworks		
 the centreline or construction line showing chainages, bearings, offsets if the construction line is not the centreline of the road and all intersection points information for each curve including tangent point chainages and offsets, curve radii, arc length, tangent length, superelevation (if applicable) and curve widening (if applicable) kerb lines including kerb radii (where not parallel to centreline) and tangent point changes (where not parallel to centreline) edge of pavement where kerb is not constructed position and extent of channelisation location and details of all traffic signs, guideposts, guardrail and other street furniture 	Drawings showing:	Confirmed	
the construction line is not the centreline of the road and all intersection points information for each curve including tangent point chainages and offsets, curve radii, arc length, tangent length, superelevation (if applicable) and curve widening (if applicable) kerb lines including kerb radii (where not parallel to centreline) and tangent point changes (where not parallel to centreline) edge of pavement where kerb is not constructed position and extent of channelisation location and details of all traffic signs, guideposts, guardrail and other street furniture	existing and proposed contours	☐ Not applicable	
the construction line is not the centreline of the road and all intersection points information for each curve including tangent point chainages and offsets, curve radii, arc length, tangent length, superelevation (if applicable) and curve widening (if applicable) kerb lines including kerb radii (where not parallel to centreline) and tangent point changes (where not parallel to centreline) edge of pavement where kerb is not constructed position and extent of channelisation location and details of all traffic signs, guideposts, guardrail and other street furniture	the centreline or construction line showing chainages, bearings, offsets if		
curve radii, arc length, tangent length, superelevation (if applicable) and curve widening (if applicable) • kerb lines including kerb radii (where not parallel to centreline) and tangent point changes (where not parallel to centreline) • edge of pavement where kerb is not constructed • position and extent of channelisation • location and details of all traffic signs, guideposts, guardrail and other street furniture			
 curve widening (if applicable) kerb lines including kerb radii (where not parallel to centreline) and tangent point changes (where not parallel to centreline) edge of pavement where kerb is not constructed position and extent of channelisation location and details of all traffic signs, guideposts, guardrail and other street furniture 			
 kerb lines including kerb radii (where not parallel to centreline) and tangent point changes (where not parallel to centreline) edge of pavement where kerb is not constructed position and extent of channelisation location and details of all traffic signs, guideposts, guardrail and other street furniture 			
tangent point changes (where not parallel to centreline) edge of pavement where kerb is not constructed position and extent of channelisation location and details of all traffic signs, guideposts, guardrail and other street furniture	1		
 position and extent of channelisation location and details of all traffic signs, guideposts, guardrail and other street furniture 			
location and details of all traffic signs, guideposts, guardrail and other street furniture	1 ,		
street furniture	1 '		
I ● pavement markings including details on raised pavement markers I I I	pavement markings including details on raised pavement markers		

•	catchpit, manhole and pipeline locations		
•	drainage details (if applicable)		
•	cross road drainage culverts (if applicable)		
•	concrete footpaths and cycle paths		
•	location and details for access points, ramps and invert crossings		
Ŀ	changes in surfacing material.		
A	pplications for operational work involving stormwater drainage		
Di	awings showing:	Confirmed	
•	existing and proposed contours	Not applicable	
•	drainage locations, diameters and class of pipe, open drains and easements		
•	manhole location, chainage and offset or coordinates and inlet and outlet invert levels		
•	inlet pit locations, chainage and offset or coordinates and invert and kerb levels.		
A	plications for operational work involving water reticulation		
Dr	awings showing:	Confirmed	
•	kerb lines or edge of pavement where kerb is not constructed	Not applicable	
•	location and levels of other utility services where affected by water reticulation works		
•	pipe diameter, type of pipe and pipe alignment		
•	water main alignments		
•	water supply pump station details (if applicable)		
•	minor reservoir details (if applicable)		
•	conduits		
•	location of valves and fire hydrants		
•	location of house connections (if applicable)		
•	location of bench marks and reference pegs.		
	plications for operational work involving sewerage reticulation		
Dr	awings showing:	Confirmed	
•	location of all existing and proposed services	☐ Not applicable	
•	location of all existing and proposed sewer lines and manhole locations		
•	location of all house connection branches		
•	kerb lines or edge of pavement where kerb is not constructed		
•	chainages design sewer invert levels		
•	design top of manhole levels		
	type of manhole and manhole cover		
•	pipe diameter, type of pipe and pipe alignment		
•	location of house connections (if applicable)		
•	sewer pump station details (if applicable).		
Αŗ	plications for operational work involving street lighting		
	awings showing:	Confirmed	
•	location of all light poles and service conduits	Not applicable	
•	location of all other cross road conduits		
•	type of wattage and lighting		
•	any traffic calming devices		
•	additional plans for roundabouts and major roads (if applicable)		
_	details of any variations to normal alignment		

details of lighting levels.		
Applications for operational work involving public utility services		
Drawings showing: any existing light poles and power poles any existing underground services details of proposed services alteration to existing services.	Confirmed Not applicable	
Applications for operational work involving landscaping works		
 the location of proposed plant species a plant schedule indicating common and botanical names, pot sizes and numbers of plants planting bed preparation details including topsoil depth, subgrade preparation, mulch type and depth, type of turf, pebble, paving and garden edge the location and type of any existing trees to be retained construction details of planter boxes, retaining walls and fences the proposed maintenance period irrigation system details. 	☐ Confirmed☐ Not applicable	
Privacy—Please refer to your assessment manager, referral agency and/or building certifier for further details on the use of information recorded in this form.		
OFFICE USE ONLY		
Date received Reference numbers		

The Sustainable Planning Act 2009 is administered by the Department of Infrastructure, Local Government and Planning. This form and all other required application materials should be sent to your assessment manager and any referral agency.

