# **GMA Certification Group Pty Ltd**

# **BUILDING SURVEYORS**





#### **PORT DOUGLAS OFFICE**

PHONE: (07) 4098 5150 (07) 4098 5180

Lot 9 Unit 5 Craiglie Business Park Owen Street CRAIGLIE QLD 4877

POSTAL: P.O. Box 831, PORT DOUGLAS QLD 4877

E-Mail: adminpd@gmacert.com.au

5 June 2017

The Chief Executive Officer **Douglas Shire Council** PO Box 723 MOSSMAN Q 4873

**Development Assessment** Attention:

Dear Sir,

**Material Change of Use** Re:

Lot 14 SP204463 Bamboo Creek Road, Bamboo

GMA Certification Group has been engaged to assess an application for the construction of a dwelling and shed on the abovementioned allotment. A preliminary assessment of the proposal has revealed the property is zoned Rural Settlement under the Douglas Shire Planning Scheme.

Accordingly, the application for Material Change of Use is enclosed for Council's assessment, which includes:

- 1. Forms 1 & 5
- 2. Planning Assessment
- 3. Waste Water Report, and
- 4. 1 x copy of plans

Should you require any further information or wish to discuss the application, please contact me on 4098 5150 or by email jevans@gmacert.com.au

Kind Regards,

**GMA Certification Group** 

Encl.

# **IDAS form 1—**Application details

(Sustainable Planning Act 2009 version 4.3 effective 5 December 2016)

This form must be used for ALL development applications.

You MUST complete ALL questions that are stated to be a mandatory requirement unless otherwise identified on this form.

For all development applications, you must:

- complete this form (IDAS form 1—Application details)
- complete any other forms relevant to your application
- provide any mandatory supporting information identified on the forms as being required to accompany your application.

Attach extra pages if there is insufficient space on this form.

All terms used on this form have the meaning given in the *Sustainable Planning Act 2009* (SPA) or the Sustainable Planning Regulation 2009.

This form and any other IDAS form relevant to your application must be used for development applications relating to strategic port land and Brisbane core port land under the *Transport Infrastructure Act 1994* and airport land under the *Airport Assets (Restructuring and Disposal) Act 2008*. Whenever a planning scheme is mentioned, take it to mean land use plan for the strategic port land, Brisbane core port land or airport land.

PLEASE NOTE: This form is not required to accompany requests for compliance assessment.

#### **Mandatory requirements**

**Applicant details** (Note: the applicant is the person responsible for making the application and need not be the owner of the land. The applicant is responsible for ensuring the information provided on all IDAS application forms is correct. Any development permit or preliminary approval that may be issued as a consequence of this application will be issued to the applicant.)

Name/s (individual or company name in full)	Ninian Inv	vestments Pty Ltd t/	as Galaxi Homes	
For companies, contact name	Mark Jeni	kin		
Postal address	4 Blain Str	reet		
	Suburb	Mossman		
	State	Qld	Postcode	4873
	Country			
Contact phone number	0417 770	522		
Mobile number (non-mandatory requirement)	0417 770	522		
Fax number (non-mandatory requirement)			· <del></del>	. <u></u>



Em	ail address (non-mandatory requirement)	admin		
	,	@ galaxihor	nes.com.au	
	olicant's reference number (non-mandatory uirement)	G00		
1.	What is the nature of the development p	roposed and	what type of approval is	being sought?
Tak	ole A—Aspect 1 of the application (If there are	additional asp	ects to the application ple	ase list in Table B—Aspect 2.)
a)	What is the nature of the development? (Plea	ase only tick o	ne box.)	· · · · · · · · · · · · · · · · · · ·
	Material change of use Reconfigu	ıring a lot	Building work	Operational work
b)	What is the approval type? (Please only tick	one box.)		
		ry approval 41 and s242	Development perm	it
c)	Provide a brief description of the proposal, in applicable (e.g. six unit apartment building de			
	Low Set Residential Dwelling 4-5heek.			
d)	What is the level of assessment? (Please only Impact assessment 🔀 Code ass		)	
	ole B—Aspect 2 of the application (If there are litional aspects of the application.)	additional asp	ects to the application ple	ase list in Table C—
a)	What is the nature of development? (Please	only tick one t	oox.)	
	Material change of use Reconfigu	ring a lot	Building work	Operational work
b)	What is the approval type? (Please only tick	one box.)		
	<u> </u>	ry approval 41 and s242	Development permit	
c)	Provide a brief description of the proposal, in applicable (e.g. six unit apartment building de			
d)	What is the level of assessment?			
	☐ Impact assessment ☐ Code asset	essment		
	le C—Additional aspects of the application (If arate table on an extra page and attach to this		tional aspects to the applic	cation please list in a
	Refer attached schedule Not requir	<u> </u>		

<u></u>	Locatio	on or the	hiam	ses (Complet	e rabie n at	id/or rat	ne ⊏ as a	ppiicabi	e. Identity e	acri lot in a separate row.)	
adjace	nt to the	e premise	es (Not		to be used	for applic	cations inv			r the land adjoining or rfering with water.)	
	Street address and lot on plan (All lots must be listed.)										
				lot on plan for er but adjoinin						propriate for ust be listed.)	
Street	Street address Lot on plan description Local government area										
Lot	t Unit no. Street name and official suburb/ no. Street name and official suburb/ code Code Street name and official suburb/ code Code Street no. Plan type and plan no. (e.g. Logan, Cairns)										
i)	i		Bamb	oo Creek Rd,	Miallo	4873	14	SP20	4463	Douglas Shire Council	
ii)											
iii)											
				the premises e. Non-mand		ltiple zon	es, clearly	y identif	y the relevar	nt zone/s for each lot in a	
Lot	Applica	ible zone	/ precin	ct	Applicable I	ocal plan	/ precinct		Applicable of	overlay/s	
i)											
ii)											
iii)											
adjoini		ljacent to								lot or in water not ule if there is insufficient	
Coord (Note:		ach set o	of coord	linates in a se	parate row)		Zone referen		itum	Local government area (if applicable)	
Easting	g	Northing		Latitude	Longitu	ıde					
									GDA94		
					·				WGS84		
									other		
3. Tota	al area o	of land c	n whic	h the develo	pment is pr	oposed	(indicate	square	metres)		
4722 s	qm		_							·	
4. Curi	rent use	e/s of the	e prem	ises (e.g. vad	ant land, ho	use, apa	rtment bu	ilding, d	ane farm etc	c.)	
Vacant	t Land	10									

!	):		j	ť	r	′	ŀ	٠.	,	O.	i		;	١,	: :	١,		;	٠ ;	ľ	ŕ,	. !	ú	? :	. ;	!	Ċ	Ö	Ç.	ġ.		ï	'n	 ٠:	45	. ;	•	p)	Э,	ţii.	'n	2
	-												 				_		-									_			-											

5. Are there any current mandatory requirement	approvals (e.g. a preliminary approval) assoc	iated with this application? (Non-					
No Yes—pro	ovide details below						
List of approval reference/s	Date approved (dd/mm/yy)	Date approval lapses (dd/mm/yy)					
	<u> </u>						
6. Is owner's consent re-	quired for this application? (Refer to notes at t	he end of this form for more information.)					
□ No							
Yes—complete either Ta	able F, Table G or Table H as applicable						
Table F							
Name of owner/s of the land	Tim & Naomi Arthurson						
I/We, the above-mentioned ov	vner/s of the land, consent to the making of this a	application.					
Signature of owner/s of the lar	id Jan						
Date 08/05/2017	n difference						
Date 08/05/2017							
Table G							
Name of owner/s of the land							
L   The owner's written conse	ent is attached or will be provided separately to the	ne assessment manager.					
Table H							
Name of owner/s of the land							
By making this application, I	the applicant, declare that the owner has given writte	en consent to the making of the application.					
7. Identify if any of the fo	llowing apply to the premises (Tick applicable	box/es.)					
Adjacent to a water body	v, watercourse or aquifer (e.g. creek, river, lake,	canal)—complete Table					
	nder the Transport Infrastructure Act 1994—com						
In a tidal water area—co							
On Brisbane core port la	and under the Transport Infrastructure Act 1994 (	No table requires completion.)					
On airport land under the	a Airport Assets (Restructuring and Disposal) Ac	t 2008 (no table requires completion)					
Listed on either the Contaminated Land Register (CLR) or the Environmental Management Register (EMR) under the Environmental Protection Act 1994 (no table requires completion)							
Table I							
Name of water body, watercou	rse or aquifer						

Table J			
Lot on plan description for strategic port land		Port author	prity for the lot
Table K			
	 !6!	D. d d	20 6 10 20 11 20 12 13 13
Name of local government for the tidal area (	ir applicable)	Port autho	ority for the tidal area (If applicable)
		· .	
8. Are there any existing easements or water etc)	n the premises?	(e.g. for vehic	cular access, electricity, overland flow,
No Yes—ensure the type, loca	ition and dimension	on of each ea	sement is included in the plans submitted
Does the proposal include new built services)	ding work or ope	erational wor	k on the premises? (Including any
☐ No ☐ Yes—ensure the nature, lo	cation and dimen	sion of propos	sed works are included in plans submitted
10. Is the payment of a portable long se end of this form for more information.)	rvice leave levy	applicable to	this application? (Refer to notes at the
No—go to question 11 Yes	•		
10a. Has the portable long service leave information.)	levy been paid?	(Refer to note	es at the end of this form for more
No No			
Yes—complete Table L and submit, with	h this application	the local dov	ernment/private certifier's copy of the
accepted QLeave form	it and application,	and issue gov	orimerapirate commercial copy or an
Table L			
Amount paid		Date paid	QLeave project number (6 digit number
		(dd/mm/yy)	starting with A, B, E, L, P or S)
11. Has the local government agreed to section 96 of the Sustainable Planni		ded planning	g scheme to this application under
□ No			
∐ No			
Yes—please provide details below			
Name of local government	Date of written r by local governr (dd/mm/yy)		Reference number of written notice given by local government (if applicable)

**12. List below all of the forms and supporting information that accompany this application (include all IDAS forms, checklists, mandatory supporting information etc. that will be submitted as part of this application)** 

Description of attachment or title of attachment	Method of lodgement to assessment manager
FORMS 192	

<ol><li>Applicant's declar</li></ol>	ration
--------------------------------------	--------

By making this application, I declare that all information in this application is true and correct (Note: it is unlawful to provide false or misleading information)

#### Notes for completing this form

Section 261 of the Sustainable Planning Act 2009 prescribes when an application is a properly-made application.
Note, the assessment manager has discretion to accept an application as properly made despite any non-compliance with the requirement to provide mandatory supporting information under section 260(1)(c) of the Sustainable Planning Act 2009

#### Applicant details

Where the applicant is not a natural person, ensure the applicant entity is a real legal entity.

#### Question 1

Schedule 3 of the Sustainable Planning Regulation 2009 identifies assessable development and the type of
assessment. Where schedule 3 identifies assessable development as "various aspects of development" the
applicant must identify each aspect of the development on Tables A, B and C respectively and as required.

#### Question 6

Section 263 of the Sustainable Planning Act 2009 sets out when the consent of the owner of the land is required for an application. Section 260(1)(e) of the Sustainable Planning Act 2009 provides that if the owner's consent is required under section 263, then an application must contain, or be accompanied by, the written consent of the owner, or include a declaration by the applicant that the owner has given written consent to the making of the application. If a development application relates to a state resource, the application is not required to be supported by evidence of an allocation or entitlement to a state resource. However, where the state is the owner of the subject land, the written consent of the state, as landowner, may be required. Allocation or entitlement to the state resource is a separate process and will need to be obtained before development commences.

#### **Question 7**

 If the premises is listed on either the Contaminated Land Register (CLR) or the Environmental Management Register (EMR) under the *Environmental Protection Act 1994* it may be necessary to seek compliance assessment. Schedule 18 of the Sustainable Planning Regulation 2009 identifies where compliance assessment is required.

#### Question 10

- The Building and Construction Industry (Portable Long Service Leave) Act 1991 prescribes when the portable long service leave levy is payable.
- The portable long service leave levy amount and other prescribed percentages and rates for calculating the levy are prescribed in the Building and Construction Industry (Portable Long Service Leave) Regulation 2013.

#### Question 10a

- The portable long service leave levy need not be paid when the application is made, but the Building and
  Construction Industry (Portable Long Service Leave) Act 1991 requires the levy to be paid before a development
  permit is issued.
- Building and construction industry notification and payment forms can be completed on the QLeave website at www.qleave.qld.gov.au. For further information contact QLeave on 1800 803 481.

**Privacy**—The information collected in this form will be used by the Department of Infrastructure, Local Government and Planning (DILGP), assessment manager, referral agency and/or building certifier in accordance with the processing and assessment of your application. Your personal details should not be disclosed for a purpose outside of the IDAS process or the provisions about public access to planning and development information in the *Sustainable Planning Act 2009*, except where required by legislation (including the *Right to Information Act 2009*) or as required by Parliament. This information may be stored in relevant databases. The information collected will be retained as required by the *Public Records Act 2002*.

					<del></del>	
Date received			Reference no	umbers		
NOTIFICATION OF EN	GAGE	MENT OF A PRIVA	TE CERTIFIER			
То					aged as the private n this application	certifier for the
Date of engagement	Nam	е		BSA Certific	cation license	Building classification/s
QLEAVE NOTIFICATION applicable.)	N AN	D PAYMENT (For co	ompletion by as	sessment n	nanager or private	certifier if
Description of the work	(	QLeave project number	Amount paid (\$)	Date pai	Date receipted form sighted b assessment manager	

The Sustainable Planning Act 2009 is administered by the Department of Infrastructure, Local Government and Planning. This form and all other required application materials should be sent to your assessment manager and any referral agency.

# **IDAS form 5**—Material change of use assessable against a planning scheme

(Sustainable Planning Act 2009 version 3.1 effective 3 August 2015)

This form must be used for development applications for a material change of use assessable against a planning scheme.

You **MUST** complete **ALL** questions that are stated to be a mandatory requirement unless otherwise identified on this form.

For all development applications, you must:

Mandatory requirements

- complete IDAS form 1—Application details
- complete any other forms relevant to your application
- provide any mandatory supporting information identified on the forms as being required to accompany your application.

Attach extra pages if there is insufficient space on this form.

All terms used on this form have the meaning given in the *Sustainable Planning Act 2009* (SPA) or the Sustainable Planning Regulation 2009.

This form must also be used for material change of use on strategic port land and Brisbane core port land under the *Transport Infrastructure Act 1994* and airport land under the *Airport Assets (Restructuring and Disposal) Act 2008* that requires assessment against the land use plan for that land. Whenever a planning scheme is mentioned, take it to mean land use plan for the strategic port land, Brisbane core port land or airport land.

	use. (Note: this is to provide action details. Attach a separate s			
General explanation of the proposed use	Planning scheme definition (include each definition in a new row) (non-mandatory)	No. of dwelling units (if applicable) or gross floor area (if applicable)	Days and hours of operation (if applicable)	No. of employees (if applicable)
DWOLLING &	HOUSE	1		
SHED				
Are there any current approve     (e.g. a preliminary approve	pprovals associated with the	proposed material cha	nge of use?	
No ☐ Yes—provi	ide details below			
List of approval reference/s	Date approved	i (dd/mm/yy) D	ate approval laps	es (dd/mm/yy)



3, D	Does the proposed use involve the following? (Tick all applicable be	oxes.)	
The reu	ise of existing buildings on the premises No	] / Yes	
New bu	ilding work on the premises	Yes	
The reu	ise of existing operational work on the premises $ extstyle  exts$	] Yes	
New op	perational work on the premises	] Yes	
Mandat	tory supporting information		
4. C	Confirm that the following mandatory supporting information acco	empanies this applica	ation
Mandat	tory supporting information	Confirmation of lodgement	Method of lodgement
All app	lications		
	lan drawn to an appropriate scale (1:100, 1:200 or 1:500 are nended scales) which shows the following:	Confirmed	
the the any the on t are plan any fund the all v on t any for a the the the	location and site area of the land to which the application relates evant land) north point boundaries of the relevant land road frontages of the relevant land, including the name of the road location and use of any existing or proposed buildings or structures the relevant land (note: where extensive demolition or new buildings proposed, two separate plans [an existing site plan and proposed site n] may be appropriate) existing or proposed easements on the relevant land and their ction location and use of buildings on land adjoining the relevant land vehicle access points and any existing or proposed car parking areas the relevant land. Car parking spaces for persons with disabilities and service vehicle access and parking should be clearly marked any new building on the relevant land, the location of refuse storage location of any proposed retaining walls on the relevant land and their ght location of any proposed landscaping on the relevant land location of any stormwater detention on the relevant land.		
governn	ment about how the proposed development addresses the local ment's planning scheme and any other planning instruments or ents relevant to the application.	Confirmed	
	ment about the intensity and scale of the proposed use (e.g. number ors, number of seats, capacity of storage area etc.).	Confirmed	
Informa	ition that states:	Confirmed	
stor new reus	existing or proposed floor area, site cover, maximum number of reys and maximum height above natural ground level for existing or buildings (e.g. information regarding existing buildings but not being sed)	Not applicable	
vehi	existing or proposed number of on-site car parking bays, type of icle cross-over (for non-residential uses) and vehicular servicing angement (for non-residential uses).		

A statement addressing the relevant part(s) of the State Development Assessment Provisions (SDAP).	☑ ⊄onfirmed ☑ Not applicable							
When the application involves the reuse of existing buildings								
Plans showing the size, location, existing floor area, existing site cover, existing maximum number of storeys and existing maximum height above natural ground level of the buildings to be reused.	☐ Confirmed ☐ Not applicable							
When the application involves new building work (including extensions)								
Floor plans drawn to an appropriate scale (1:50, 1:100 or 1:200 are recommended scales) which show the following:	Confirmed							
<ul> <li>the north point</li> <li>the intended use of each area on the floor plan (for commercial, industrial or mixed use developments only)</li> <li>the room layout (for residential development only) with all rooms clearly labelled</li> <li>the existing and the proposed built form (for extensions only)</li> <li>the gross floor area of each proposed floor area.</li> </ul>								
Elevations drawn to an appropriate scale (1:100, 1:200 or 1:500 are <b>recommended</b> scales) which show plans of all building elevations and facades, clearly labelled to identify orientation (e.g. north elevation)	Confirmed							
Plans showing the size, location, proposed site cover, proposed maximum number of storeys, and proposed maximum height above natural ground level of the proposed new building work.	Confirmed Not applicable							
When the application involves reuse of other existing work	·							
Plans showing the nature, location, number of on-site car parking bays, existing area of landscaping, existing type of vehicular cross-over (non-residential uses), and existing type of vehicular servicing arrangement (non-residential uses) of the work to be reused.	Confirmed Not applicable							
When the application involves new operational work								
Plans showing the nature, location, number of new on-site car parking bays, proposed area of new landscaping, proposed type of new vehicle cross-over (non-residential uses), proposed maximum new vehicular servicing arrangement (non-residential uses) of the proposed new operational work.	☐ Confirmed ☐ Not applicable							
Privacy—Please refer to your assessment manager, referral agency and/or builuse of information recorded in this form.	ding certifier for further details on the							
OFFICE USE ONLY								
Date received Reference numbers								

The Sustainable Planning Act 2009 is administered by the Department of Infrastructure, Local Government and Planning. This form and all other required application materials should be sent to your assessment manager and any referral agency.



# **Planning Report**

Application for a Development Permit for a Material Change of Use for the purpose of a Dwelling on land described as

Lot 14 on SP204463 Bamboo Creek Road, Miallo

# 1.0 Application Details

Table 1. Summary of relevant details of the application.

Applicant	Tim & Naomi Arthurson	
Registered Owner of Land	Tim & Naomi Arthurson	
Contact	Jeff Evans	
	GMA Certification Group Pty Ltd	
	PO Box 831	
	PORT DOUGLAS Q 4877	
	Ph 07 4098 5150	
	Fax 07 4098 5180	
	Email Jevans@gmacert.com.au	
Real Property Description	Lot 14 SP204463	
Location	Bamboo Creek Road, Miallo	
Tenure	Free Hold	
Total Area	7638 sqm	
Present Use	Vacant	
Contaminated Lands or Environmental	Nil	
Management Registers		
Easements and Encumbrances	None	
Proposal	Development Permit for a Material Change of Use for a	
	Dwelling and Shed	
Local Government Authority	Douglas Shire Council	
Planning Scheme	2008 Douglas Shire Planning Scheme	
Planning Area	Rural Settlement	
Overlays	Acid Sulfate Soils	

#### 2.0 Proposed Development

The application seeks a Development Permit for a Material Change of Use for the purpose of a Dwelling on the subject allotment.

The attached plans illustrate:

- Site plan, indicating the location of the proposed dwelling; and,
- Architectural plans including floor plans and elevations.

#### 3.0 Level of Assessment

The proposed development is 'assessable development' under the Douglas Shire Planning Scheme and as defined in the Sustainable Planning Act, 2009 [SPA].

Under the provisions of the SPA and the Douglas Shire Planning Scheme, the following level of assessment is applicable, in accordance with the IDAS process:

 'Code Assessable" – Material Change of Use for the purpose of a house within the Rural Settlement locality.

#### 4.0 Planning Considerations

The Sustainable Planning Act 2009, provides a legislative framework within Queensland for local and state authorities to assess development applications. Relevant matters within the SPA with respect to the application are considered below.

#### 4.1 Douglas Shire Planning Scheme Code Assessment

Table 2 provides an assessment of the proposal with regard to the Douglas Shire Planning Scheme's associated Codes. The proposal generally complies with the Acceptable Solutions of the Scheme.

# **Table 2.** Assessment Against the Douglas Shire Planning Scheme Codes

# Rural Areas and Rural Settlement Locality Code

### **General Requirements**

	PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
P1	Buildings and structures complement the Height of surrounding development and are subservient to the surrounding environment and are in keeping with the unique character of the Locality.	A1.1 In all Planning Areas in this Locality the maximum Height of Buildings/structures is 6.5 metres and 2 Storeys. In addition, the roof or any ancillary roof features do not exceed a maximum Height of 3.5 metres.	The maximum height of the proposed dwelling and shed is 6m and 3.6m, respectively.
P2	Development is connected to all urban services or to sustainable on site infrastructure.	A2.1 Development is connected to available urban services by underground connections, wherever possible.  AND/OR	Power, water and telecommunications services will be provided to the dwelling.
		Contributions are paid when applicable in accordance with the requirements of Planning Scheme Policy No 11 – Water Supply and Sewerage Headworks and Works External Contributions.	N/A
		OR	
		Water storage tank/s with a minimum capacity of not less than 30 000 litres to service the proposed use, including fire fighting capacity and Access to the tank/s for fire trucks. Tank/s to be fitted with a 50 mm ball valve with a camlock fitting and installed and connected prior to occupation and screened with Dense Planting.	N/A Reticulated water supply is available.
		AND	
		An environmentally acceptable and energy efficient power supply is constructed and connected prior to occupation and sited so as to be visually unobtrusive.	N/A
		AND	
		On-site sewerage facilities are provided in accordance with the Onsite Sewerage Code and screened with Dense Planting.	A compliance certificate will be issued by Council prior to the issue of the Development permit for Building Work.

P3	Landscaping of development Sites complements the existing rural character of the Locality.	A3.1 Landscaping incorporates the requirements of Planning Scheme Policy No 7 – Landscaping with particular emphasis on appropriate species for this Locality  AND  A minimum of 60%of the total	Landscaping shall be provided over time while the owners reside on the property.
P4	Development Sites are provided with efficient and safe vehicle Access and manoeuvring areas on Site and to the Site, to an acceptable standard for the	adjacent to the Site are designed and maintained to comply with the specifications set out in the Planning	A compliant cross-over will be installed providing access to the property and the on-site driveways will be gravel.
	Locality.	Scheme Policy No 6 – FNQROC Development Manual.	

# Protecting Rural/Rural Settlement Amenity – General

	PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
P5	Industrial development in a rural area relies on or has a strong nexus with the primary rural activity undertaken on Site or in the surrounding area.	<b>A5.1</b> Any industrial development is limited to rural industrial activities which, by necessity, are related to primary industries in the surrounding area and require a rural location and where an urban location is inappropriate.	None proposed.
P6	Any community facilities or service infrastructure located in a rural area or rural settlement areas are sited to protect the general amenity and the visual amenity of the surrounding rural area/rural settlement area.	A6.1 Community facilities are only sited in a rural area or a rural settlement area by necessity and where an urban location is inappropriate.  A6.2 Community facilities are screened from adjacent Roads by landscape buffers of Dense Planting a minimum of 5 metres in width.  AND  All side and rear boundaries are provided with Dense Planting for a minimum width of 1.5 metres.	N/A
P7	Rural settlement areas are visually unobtrusive in the rural landscape to protect the integrity of the rural areas as a dominant landscape element of high quality.	<ul> <li>A7.1 The old Rocky Point School Site is developed for residential purposes in accordance with the following:</li> <li>reconfiguration is in accordance with the Rural Settlement Planning Area requirements specified in Table 1 of the Reconfiguring a Lot Code and all the relevant requirements of the Reconfiguring a Lot Code, taking account of the existing topography of the Site.</li> </ul>	N/A

		AND
		The remnant vegetation on the western boundary of the Site is dedicated as public park.
P8	Areas at Rocky Point included in the Residential 1 Planning Area maintain the integrity of the	<b>A8.1</b> The minimum lot size in this area is 3500 m2.
	dominant landscape qualities of	AND
	the area and ensure safe Access onto Mossman-Daintree Road.	Any proposed reconfiguration of existing lots in this area only occurs utilising the Access driveway servicing the existing lot, by including reciprocal Access easements over the existing Access driveway for any additional lots.
		<b>A8.2</b> Any new lots are included in a Designated Development Area (DDA) identified on the proposal plan of reconfiguration and ultimately, on the registered survey plan.
		A8.3 Development located within a Designated Development Area is sited where Clearing is limited to a maximum area of 800 m2 of the Site or 4% Site Coverage of the Site, whichever is the lesser. (The 800m2 area of Clearing does not include an access driveway.)
		OR, ALTERNATIVELY
		If a greater part of the Site is to be cleared, that part of a Site not cleared is to be included in a Conservation Covenant to protect the integrity of the natural environment.
		A8.4 Clearing is limited to the DDA and the DDA is sited on that part of the lot which is least constrained by slope, vegetation or Access constraints, and does not require extensive cut and fill and/or complex geotechnical solutions.
		<b>A8.5</b> The DDA is sited so that the development of a House does not obstruct the views from any adjacent existing Houses.
		AND
		Ensures the new House is not visually prominent from adjacent public viewing points, such as Mossman-Daintree Road and Rocky Point.

P9	Development of Lot 32 on RP 850495, Vixies Road, Wonga Beach is connected to urban services.	A9.1 Any future reconfiguration of Lot 32 on RP 850495 for Rural Settlement purposes only occurs in association with connection to reticulated sewerage and water supply servicing Wonga Beach.	N/A
P10	The development of part of Lots 10 and 11 on SP 132055 for residential purposes is undertaken to protect the environmental values of the site and the scenic amenity of the local area.	A10.1 Residential development occurs on the more gently sloping part of the site, elevated above the steep bank adjacent to Mossman-Daintree Road.  AND	N/A
	iocai area.	The area appropriate for residential development is determined on the basis of contour and vegetation surveys of the site.	
		AND	
		Only one access point from the site to the State-Controlled Road is permitted.	
		AND	
		At reconfiguration stage a broad vegetation screen is provided along the elevated frontage of the site to the Mossman-Daintree Road so that the residential development is screened from the road.	
		AND	
		The balance of the site is protected from clearing to maintain the forested mountain landscape and no further reconfiguration of the balance area occurs.	

# **Protection of Scenic Amenity and Natural Values**

PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
P11 Development does not adversely impact on areas of sensitive natural vegetation, foreshore areas, Watercourse and areas of tidal inundation which contribute to the Scenic Amenity and natural values of the Locality.	No Acceptable Solution.  (Information that the Council may request to demonstrate compliance with the Performance Criteria is outlined in Planning Scheme Policy No 10 – Reports and Information the Council May Request, for code and impact assessable development).	N/A

# **Indigenous Interests**

PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
1	<b>A12.1</b> Development is consistent with any ILUA relating to the land and the relevant provisions of the Planning Scheme.	N/A

# **Landscaping Code**

# Landscape Design

PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
P1 Landscape design satisfies the purpose and the detailed requirements of this Code.	A1.1 Landscaping is undertaken in accordance with a Landscape Plan drawn to scale which complies with and illustrates all the relevant requirements of this Code and Planning Scheme Policy No 7 – Landscaping.  AND  Landscaping is maintained in accordance with the requirements specified in this Code and Planning Scheme Policy	Landscaping shall be provided over time while the owners reside on the property.
	No 7 – Landscaping.	

### **Landscape Character and Planting**

	PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
P2	Landscaping contributes to a sense of place, is functional to the surroundings and provides dominant visual interest and form.	A2.1 A minimum of 80% of the proposed landscape area is open to the sky for sunlight and ventilation.  A2.2 The percentage of native or endemic species utilised in the Landscaping is as specified in the Locality Code.	Landscaping shall be provided over time while the owners reside on the property.
		OR	
		Where not specified in the Locality Code, in accordance with Planning Scheme Policy No. 7 – Landscaping.	

		A2.3 Landscaping includes planting layers comprised of canopy, middle storey, screening and groundcovers, with palm trees used as accent plants only.	
P3	Landscaping is consistent with the existing landscape character of the area and native vegetation existing on the Site is to be retained wherever possible and integrated with new Landscaping.	A3.1 Existing native vegetation on Site is retained and incorporated into the Site design, wherever possible.  A3.2 Any mature vegetation on the Site which is removed or damaged during development of the Site is replaced with advanced native species.  A3.3 Where there is an existing landscape character in a street or locality which results from existing vegetation, similar species are planted on Site or on the street.  A3.4 Street trees are 100% native	There is currently no vegetation onsite.
		species which enhance the landscape character of the streetscape, with species chosen from the Plant Species Schedule in Planning Scheme Policy No 7 – Landscaping.	
P4	Plant species are selected with consideration to the scale and form of development, screening, buffering, streetscape, shading and the locality of the area.	A4.1 Species are selected in accordance with the Plant Species Schedule in Planning Scheme Policy No 7 – Landscaping.	N/A
P5	Shade planting is provided in car parking areas where uncovered or open, and adjacent to driveways and internal Roadways.	A5.1 Where car parking areas are uncovered or open, shade trees are planted at regular intervals (a minimum of 1 shade tree is provided for every 5 car parks) throughout the car parking areas, and adjacent to driveways and internal Roadways.	N/A
		<b>A5.2</b> A minimum of 1 shade tree is provided for every 10 metres along a driveway or internal Roadway.	

<b>A5.3</b> Landscape beds and trees are protected by garden edging, bollards or wheel stops.	
<b>A5.4</b> Trees within car parking areas have a minimum planting area the equivalent of 1 car parking bay, with a minimum topsoil depth of 0.8 metre.	

# Screening

F	PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
P6	Fences along street Frontages are articulated with appropriate Landscaping.	<b>A6.1</b> Perimeter fencing to any street Frontage complies with the relevant Planning Area Code.	No additional fencing is proposed at this time.
		<b>A6.2</b> Trees, shrubs and groundcovers are planted within any recessed areas along the fence line.	
P7	Landscaping within Recreation Areas of residential development	<b>A7.1</b> One shade tree is provided for each private open space or private Recreation Area.	N/A
	are functional, well designed and enhance the residential amenity.	<b>A7.2</b> Tree species provide 30% shade over the area within 5 years.	
		A7.3 A minimum of 50% of the Landscaping and Recreational Area is landscaped, with trees, shrubs, groundcovers, minimising large expanses of hardstand areas and structures.	
		A7.4 Plants are located to provide shelter and shade to Habitable Rooms and outdoor Recreation Areas from the hot summer sun.	
P8	Undesirable features are screened with Landscaping.	<b>A8.1</b> Landscaping of Dense Planting is planted along and near retaining walls, long blank walls of Buildings, mechanical and airconditioning units, clothes drying areas, bin enclosures and other utility structures with appropriate trees, shrubs and groundcovers.	Landscaping shall be provided over time while the owners reside on the property.
P9	The environmental values of the Site and adjacent land are enhanced.	<b>A9.1</b> Landscaping using similar endemic or native species, is planted on-Site on land adjoining	N/A

an area of natural environmental	
value.	

# **Streetscape and Site Amenity**

PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
P10 Landscaping for residential development enhances the streetscape and the visual appearance of the development.	<ul> <li>A10.1 Dense Planting along the front of the Site incorporates:</li> <li>shade canopy trees to provide shade to the Frontage of the Site within 5 years of planting;</li> </ul>	Landscaping shall be provided over time while the owners reside on the property.
	• landscape screening of blank walls;	
	• low shrubs, groundcovers and mulch to completely cover unsealed ground.	
	<b>A10.2</b> Dense Planting to the rear of the Site incorporates:	
	• 1 shade tree for an average of every 75 m2, growing to the Building eave Height within 5 years of planting;	
	• screening shrubs to grow to 3 metres in Height within 2 years of planting;	
	• low shrubs, groundcovers and mulch to completely cover unsealed ground.	
	<b>A10.3</b> Dense Planting to the side boundaries incorporates:	
	• trees planted for an average of every 10 metres where adjacent to a Building;	
	<ul> <li>low shrubs, groundcovers and mulch to completely cover unsealed ground.</li> </ul>	
P11 Landscaping for non- residential development enhances the streetscape and the visual appearance	<b>A11.1</b> Dense Planting along the front boundary of the Site where a Building is Setback from the front alignment, incorporates:	Landscaping shall be provided over time while the owners reside on the property.
of the development.	• shade canopy trees to provide shade to the Frontage of the Site within 5 years of planting where appropriate;	
	landscape screening of blank	

walls;

- low shrubs, groundcovers and mulch to completely cover unsealed ground.
- **A11.2** Dense Planting to the rear of the Site where a Building is Setback from the rear alignment, incorporates:
- 1 shade tree for an average of every 75 m2 growing to the Building eave Height within 5 years of planting;
- screening shrubs to grow to 3 metres in Height within 2 years of planting;
- low shrubs, groundcovers and mulch to completely cover unsealed ground.
- **A11.3** Dense Planting to the side boundaries where visible from the street or adjoining a boundary to a different Planning Area, and where a Building is Setback from the side boundary, incorporates:
- trees planted for an average of every 10 metres where adjacent to a Building;
- screening shrubs, low shrubs and groundcover appropriate for the amount of space, light and ventilation of the area;
- low shrubs, groundcovers and mulch to completely cover unsealed ground.
- **A11.4** A minimum of 20% of shade trees and shrubs is incorporated in all areas of Landscaping growing to the Building eave Height within 5 years.

#### **Maintenance and Drainage**

P	ERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
P12	Landscaped areas are designed in order to be maintained in an efficient manner.	<b>A12.1</b> A maintenance program is undertaken in accordance with the Maintenance Schedule in Planning Scheme Policy No 7 – Landscaping.	Landscaping shall be provided over time while the owners reside on the property.
		A12.2 A reticulated irrigation system is provided to common Landscaping and Recreation Areas and planter boxes in accordance with Australian Standards, with 1 hose cock within each area.	
		<b>A12.3</b> Turf areas are accessible by standard lawn maintenance equipment.	
		with long life expectancy and minimal maintenance requirements where on-Site management will be limited.	
		A12.5 Mulching is provided to all garden beds to reduce weed growth and to retain water, and is to be replenished every year in the ongoing maintenance program.	
P13	Stormwater runoff is minimised and reused in Landscaping through water infiltration, where appropriate.	A13.1 Adequate drainage is provided to all paving, turf and garden beds, including the use of swales, spoon drains, subsurface drainage, field gullies, rock or pebble lined Watercourses and stormwater connections.	N/A
		A13.2 Overland flow paths are not to be restricted by Landscaping works.	
		A13.3 Water runoff is re-used through draining of hard surface areas towards permeable surfaces, turf, garden beds and by minimising impervious surfaces on the Site.	

#### Safety

PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
P14 Tree species and their location accommodate vehicle and pedestrian sight lines.	<b>A14.1</b> Trees located near pathways, driveways, Access points, parking areas and street corners have a minimum 3.0 metres of clear trunk.	N/A
P15 The landscape design enhances personal safety and reduces the potential for crime and vandalism.	<b>A15.1</b> Security and foot lighting is provided to all common areas, including car parks, entries, driveways and pathways.	N/A
	<b>A15.2</b> Hard surfaces are stable, non-slippery and useable in all weathers.	
	A15.3 Bushfire hazard is minimised with planting of bushfire resistant species near bushfire prone areas, (refer to the Bushfire Risk Overlay on the relevant Locality Map).	
	<b>A15.4</b> Lighting for bicycle paths is provided in accordance with the relevant Australian Standards	

#### **Utilities and Services**

PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
P16 The location and type of plant species does not adversely affect the function and accessibility	·	N/A
of services and facilities and service areas.	<b>A16.2</b> All underground services are to be located under pathways and below the eaves of the Building.	
	A16.3 Irrigation control devices are located in the common Landscaping and Recreation Area.	
	<b>A16.4</b> Landscaping is located to enable trade persons to Access and view meters and other mechanical equipment within the Site.	
	<b>A16.5</b> Landscaping does not limit Access for service vehicles or	

rubbish trucks to utility areas, bin enclosures or docking areas. A16.6 Landscaping near electric lines or substations is designed and developed so that any vegetation at maturity Landscaping structures or works do not exceed 40 metres in Height on land: • in an electric line shadow; or • within 5.0 metres of an electric line shadow; or within 5.0 metres of a substation boundary. A16.7 Elsewhere, vegetation is planted at a distance that is further from the nearest edge of an electric line shadow or substation boundary than the expected maximum Height at maturity of the vegetation. A16.8 On a Site adjoining an electricity substation boundary, the vegetation foliage at maturity is not within 3.0 metres of the substation boundary. However, where a substation has a solid wall along any part of its boundary, foliage may extend to, but not above or beyond, that solid wall.

#### **Vehicle Parking and Access Code**

#### **Vehicle Parking Numbers**

PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
P1 Sufficient parking spaces are provided on the Site to accommodate the amount and type of vehicle traffic expected to be generated by the use or uses of the Site, having particular regard to:  • the desired character of the area in which the Site is located;	A1.1 The minimum number of vehicle parking spaces provided on the Site is not less than the number prescribed in Schedule 1 of this Code for the particular use or uses. Where the number of spaces calculated from the Schedule is not a whole number, the number of spaces provided is the next highest whole number.	There is adequate area on-site for vehicle parking.

<ul> <li>the nature of particular use and specific characteristics scale;</li> </ul>		
<ul> <li>the number employees and the I number of visitors to Site;</li> </ul>	-	
<ul> <li>the level of accessibility;</li> </ul>	local	
<ul> <li>the nature frequency of any p transport serving the a</li> </ul>		
<ul> <li>whether or not the involves the retentio an existing Building the previous requirem for car parking for Building;</li> </ul>	on of and nents	
<ul> <li>whether or not the involves an ident Valuable Conserva Feature and Valuable and</li> </ul>	tified ration	
<ul> <li>whether or not the involves the retentio significant vegetation.</li> </ul>	on of	

# **Parking for People with Disabilities**

	PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
P	2 Parking spaces are provided to meet the needs of vehicle occupants with disabilities.	<b>A2.1</b> For parking areas with a total number of ordinary vehicle spaces less than 50, wheelchair accessible spaces are provided as follows:	N/A
		<ul> <li>Medical, higher education, entertainment facilities and shopping centres – 2 spaces;</li> </ul>	
		• All other uses – 1 space.	
		<b>A2.2</b> For parking areas with 50 or more ordinary vehicle spaces, wheelchair accessible spaces are provided as follows:	
		<ul> <li>Medical, higher education, entertainment facilities and</li> </ul>	

shopping centres – 3% (to the closest whole number) of the total number of spaces required;	
• All other uses – 2% (to the closest whole number) of the total number of spaces required.	

# **Motor Cycles**

F	PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
P3	In recognition that motorcycles are low Roadspace transport, a proportion of the parking spaces provided may be for motorcycles. The proportion provided for motor cycles is selected so that:  • ordinary vehicles do not demand parking in the spaces reserved for motor cycles due to capacity constraints; and,  • it is a reflection of the make-up of the likely vehicle fleet that uses the parking; and,  • it is not a reflection of the lower cost of providing motorcycle parking.	A3.1 Parking for motorcycles is substituted for ordinary vehicle parking to a maximum level of 2% per cent of total ordinary parking.  AND  The motorcycle parking complies with other elements of this Code.	N/A

#### **Compact Vehicles**

	PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
P4	A proportion of the parking spaces provided may be for compact vehicles. The proportion of total parking provided for compact vehicles is selected considering:  • compact vehicles spaces are not available to non-compact vehicles; and,  • it is a reflection of the proportion of the likely vehicle	exceeding 100 spaces for short term users or 50 spaces for long-term users,	N/A

†le	eet that us	ses the p	arking; a	ind,
•	compact	vehicle	spaces	are

- compact vehicle spaces are located so as to be proximate to pedestrian destinations such that they present significant inclination for use by users of compact vehicles; and,
- the scale of parking spaces, likely users and the likely degree of familiarity with the availability of such spaces
- the parking location is proximate to the entry locations for parking users; and,
- the parking provided complies with other elements of this Code.

### **Bicycles Parking**

	PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS		
P5	spaces with appropriate	bicycle parking spaces provided on Site is not less than the number prescribed in Schedule 1	N/A		

#### **Vehicular Access to the Site**

PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
P6 The location of Access points minimises conflicts and is designed to operate efficiently and safely taking into account:  • the amount and type of vehicular traffic;  • the type of use (eg long-stay, short-stay, regular, casual);  • Frontage Road traffic conditions;	A6.1 The location of the Access points is in accordance with the provisions of the relevant Australian Standards.  AND  Where the Site has Frontage to more than one street, the Access is from the lowest order street.  A6.2 All redundant Accesses must be removed and a suitable barrier Erected to prevent further use of the Access.	Existing access from Bamboo Creek Road will be utilised.
<ul> <li>the nature and extent of future street or intersection improvements;</li> </ul>	<b>A6.3</b> Only one Access point is to be provided to each Site unless stated otherwise in another Code.	

<ul> <li>current and future on- street parking arrangements;</li> </ul>	
<ul> <li>the capacity of the adjacent street system; and</li> </ul>	
<ul> <li>the available sight distance.</li> </ul>	

# **Accessibility and Amenity for Users**

ı	PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
P7	On-Site vehicle parking is provided where it is convenient, attractive and safe to use, and does not detract from an attractive or existing streetscape character.	A7.1 Short term visitor parking is provided at the front or on the main approach side of the Site, with easy Access to the Building entry, where such provision is in keeping with the desired character of the area in which the Site is located.	N/A
		AND	
		In mixed use premises that include residential or accommodation uses (excluding, Port Douglas – Tourist Centre), at least 50% of the required number of parking spaces for the nonresidential use/s on the Site is provided in an easily accessible location on the premises, so as to be convenient to use for customers and other visitors.	
P8	The layout of parking areas provides a high degree of amenity and accessibility	<b>A8.1</b> The layout of the parking area provides for the accessibility and amenity of the following:	N/A
	for different users.	People with Disabilities	
		Cyclists	
		Motorcyclists	
		Compact Vehicles	
		Ordinary Vehicles	
		Service Delivery Vehicles.	
		<b>A8.2</b> Where covered parking areas are required in accordance with Schedule 1 of this Code, sails or other secure structural forms	

of covering provide shade and	
weather protection for vehicles	
and passengers.	

# **Access Driveways**

F	PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS		
Р9	The dimensions of Access driveways cater for all vehicles likely to enter the Site and minimises the disruption of vehicular, cyclist and pedestrian traffic.	<b>A9.1</b> Access driveways are designed in accordance with the provisions of the relevant Australian Standards.	Existing access from Bamboo Creek Road will be utilised.		
P10	The surface construction materials of Access driveways within the Road reserve contribute to the streetscape and alerts pedestrians to the location of the driveway.	A10.1 Surface construction materials are consistent with the current or intended future streetscape or character of the area and contrast with the surface construction materials of any adjacent footpath.	A gravel driveway is proposed at this time.		

# **Access for People with Disabilities**

PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
disabilities is provided to the Building from the	<b>A11.1</b> Access for people with disabilities is provided in accordance with the relevant provisions of the Australian Standards.	N/A

#### **Access for Pedestrians**

PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
provided to the Building	A12.1 Defined, safe pedestrian pathways are provided to the Building entry from the parking area and from the street.	

# **Access for Cyclists**

PERFORMANCE CRITERIA			ACCEPTABLE SOLUTIONS			,	COMMENTS		
P13	Access	for	cyclists	is	A13.1	Access	pathways	for	N/A

provided to the Building or to bicycle parking area from the street.	cyclists are provided in accordance with the relevant provisions of the Australian Standards.	
	AND	
	Where Access for cyclists is shared with Access for pedestrians and vehicles, the shared use is identified by signage and linemarking.	

# **Dimensions of Parking Spaces**

PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
P14 Parking spaces must have adequate areas and dimensions to meet user requirements.	A14.1 Car parking for the disabled, ordinary car parking spaces and motorcycle parking spaces meet the requirements of the relevant Australian Standards.  AND	N/A
	Parking spaces for special vehicles that are classified in accordance with the relevant Australian Standards meet the requirements of that Standard.	
	AND	
	Parking spaces for standard sized buses have the following minimum dimensions:	
	• width: 4 metres	
	• length: 20 metres	
	clear Height: 4 metres.	
	AND	
	Parking spaces for compact vehicles have the following minimum dimensions:	
	• 15 per cent less in width measurements than required by Australian Standards for any ordinary vehicle; and,	
	• 20 per cent less in length measurements than required by Australian Standards for any	

ordinary vehicle.	
AND	
Parking spaces for special vehicles meet the requirements dictated by the vehicle dimensions and manoeuvring characteristics and provide sufficient clearance to obstructions and adjacent vehicles to achieve a level of service to users equivalent to that specified by the relevant Australian Standards.	
<b>A14.2</b> Parking spaces for bicycles	
meet the requirement of the	
relevant Australian Standard.	

# On-Site Driveways, Manoeuvring Areas and Parking/Standing Areas

PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
P15 On-Site driveways, manoeuvring areas and vehicle parking/standing areas are designed, constructed and maintained such that they:	A15.1 On-Site driveways, vehicle manoeuvring and loading/unloading areas:  • are sealed in urban areas:  AND	Gravel driveway will be suitably graded and drained.
<ul> <li>are at gradients suitable for intended vehicle use;</li> <li>consider the shared movements of pedestrians and cyclists;</li> <li>are effectively drained and surfaced; and</li> <li>are available at all times they are required.</li> </ul>	upgraded to minimise noise, dust and runoff in other areas of the Shire in accordance with the relevant Locality Code;  • have gradients and other design features in accordance with the provisions of the relevant Australian Standards; and  • drain adequately and in such a way that adjoining and downstream land is not adversely affected.  A15.2 Parking areas are kept and used exclusively for parking and are maintained in a suitable condition for parking.	

# Vehicle Circulation, Queuing and Set Down Areas

PE	RFORMANCE	CRITERIA	4	AC	CEPTABLE SO	DLUTI	ONS	COMMENTS
P16	Sufficient	area	or	A16.1	Circulation	and	turning	N/A

	appropriate circulation arrangements are provided to enable all vehicles expected to use the Site to drive on and off the Site in forward gear.	areas comply with the provisions of the relevant Australian Standards.	
P17	An on-Site circulation system provides safe and practical Access to all parking, loading/unloading and manoeuvring areas.	<b>A17.1</b> Circulation driveways comply with the provisions of the relevant Australian Standards.	N/A
P18	Where vehicle queuing, set down or special vehicle parking is expected, sufficient queuing or parking area is provided to enable vehicles to stand without obstructing the free flow of moving traffic or pedestrian movement.	A18.1 Queuing and set down areas comply with the relevant Australian Standard and any relevant AUSTROAD Guidelines.	N/A

# **Rural Settlement Planning Area Code**

#### **Consistent and Inconsistent Uses**

PERFORMAN	CE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
	th the outcomes the Rural	A1.1 Uses identified as inconsistent uses in the Assessment Table are not established in the Rural Settlement Planning Area.	The proposal is a consistent use according to the assessment table.

#### **Site Coverage**

	PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
P2	The built form is subservient to the natural environment or the rural character of the area.	A2.1 The maximum Site Coverage for all Buildings (including Outbuildings) contained on an allotment is 450 m2.  A2.2 An Outbuilding used for purposes ancillary to a House has a maximum Site Coverage not greater than 20% of the total Site Coverage specified in A2.1 above.	The proposed dwelling and shed have a site cover of 375sqm.

# **Building Setbacks**

	PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
P3	Buildings/structures are Setback to:  • maintain the natural or rural character of the area; and  • achieve separation from neighbouring Buildings and from Road Frontages.	A3.1 Buildings/structures are Setback not less than:  • 40 metres from the property boundary adjoining a State-Controlled Road; or  • 25 metres from the property boundary adjoining the Cape Tribulation Road; or  • 20 metres from the property boundary fronting any other Road; and  • 6 metres from the side and rear property boundaries of the Site.	The proposed dwelling setbacks comply with the Scheme.
P4	Buildings/structures are screened from any adjacent Road to maintain the natural or rural character of the area.	A4.1 At the time that a Site is developed for any purpose, the Road Frontage Setback areas are landscaped so that 10 metres of the Setback area immediately adjacent to any Road Frontage, where the minimum total Setback required is 20 metres or greater, is landscaped with Dense Planting.	There is no vegetation currently on-site. The owners will provide vegetative screening to the dwelling if required.

#### **Scenic Amenity**

	PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
P5	- ·	<b>A5.1</b> White and shining metallic finishes are avoided on external	External colours include:

	density rural settlement character of the area and sited to minimise impacts on the environment and Scenic Amenity values of the area.	surfaces in prominent view.	Roof – Colorbond Woodland Grey  Walls – Consistent with Colorbond Dune
P6	Buildings/structures are sited to achieve the retention of native trees and protect existing Watercourses, riparian vegetation and wildlife corridors.	A6.1 No Acceptable Solution.  (Information that the Council may request to demonstrate compliance with the Performance Criteria is outlined in Planning Scheme Policy No 10 – Reports and Information the Council May Request, for code and impact assessable development).	N/A

# **Sloping Sites**

	PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
P7	Building/structures are designed and sited to be responsive to the constraints of sloping Sites.	A7.1 Building/structures are Erected on land with a maximum slope not exceeding 15%.  OR	The land is level.
		Development proposed to be Erected on land with a maximum slope between 15% and 33% is accompanied by a Geotechnical Report prepared by a qualified engineer at development application stage.	
		OR	
		Development proposed to be Erected on land with a maximum slope above 33% is accompanied by a Specialist Geotechnical Report prepared by a qualified engineer at development application stage which includes signoff that the Site can be stabilised.	
		AND	
		Any Building/structures proposed	

	to be Erected on land with a maximum slope above 15% are accompanied by an additional Geotechnical Report prepared by a qualified engineer at building application stage.  (Information that the Council may request as part of the Geotechnical Report are outlined in Planning Scheme Policy No 10 – Reports and Information the Council May Request, for code and impact assessable development.)	
P8 The building style and construction methods used for development on sloping Sites are responsive to the Site constraints.	A8.1 A split level building form is utilised.  A8.2 A single plane concrete slab is not utilised.  A8.3 Any voids between the floor of the Building and Ground Level, or between outdoor decks and Ground Level, are screened from view by using lattice/batten screening and/or Landscaping.	N/A
P9 Development on sloping land minimises any impact on the landscape character of the surrounding area.	<b>A9.1</b> Buildings/structures are sited below any ridgelines and are sited to avoid protruding above the surrounding tree level.	N/A
P10 Development on sloping sites ensures that the quality and quantity of stormwater traversing the Site does not cause any detrimental impact to the natural environment or to any other Sites.	A10.1 All stormwater drainage discharges to a lawful point of discharge and does not adversely affect downstream, upstream, underground stream or adjacent properties.	Stormwater to be managed on-site.

#### **Land Use Code**

#### **House Code**

#### General

	PERFORMANCE CRITERIA	ACCEPTABLE SOLUTIONS	COMMENTS
P1	Buildings on a lot have the appearance and bulk of a single House with ancillary Outbuildings.	A1.1 A lot contains no more than one House.  A1.2 Ancillary Outbuildings have a maximum Site Coverage of 10% of the balance area of the Site not otherwise taken up by the House.	Complies
P2	The House is used for residential purposes.	<b>A2.1</b> The House is used by one Household.	Complies
Р3	Resident's vehicles are accommodated on Site and are sited to minimise the dominance of car accommodation on the streetscape.	A3.1 A minimum of 2 vehicle spaces are provided on Site and may be provided in tandem.  A3.2 At least one garage, carport or designated car space must be located at least 6 metres from the Main Street Frontage.	Vehicle parking is adequate.

#### **General Codes**

# Filling and Excavation Code

Cut and fill is not proposed for the site, therefore this Code is not applicable.

# **Natural Areas and Scenic Amenity Code**

Not applicable

#### **Overlay Codes**

#### **Acid Sulfate Soils Code**

The development will not result in excavation or filling of more than 100m<sup>3</sup> or 500m<sup>3</sup>, respectively.

#### **Cultural Heritage and Valuable Sites**

Overlay is not applicable

#### **Natural Hazards**

The subject site is mapped as being Low Risk Hazard – Bushfire.

#### 5.0 Conclusion

The development application seeks a Development Permit for Material Change of Use for the purpose of a dwelling and shed on land describes as Lot 14 SP204463 Bamboo Creek Road, Miallo.

The proposed development is considered consistent with the relevant Planning Scheme Codes and the surrounding locality.

In summary the report concludes:

- The proposal complies with the requirements for making a Development Application under the Sustainable Planning Act; &
- The proposal is consistent with the existing and future use of the property.



# **Site Classification**

# And

# Wastewater Management System

For

**Tim Arthurson** 

At

Lot 14 Bamboo Creek Rd

Miallo

Postal address: Earth Test, PO Box 1042, Tolga, Qld 4882. Phone: 4095 4734

e-mail: len@earthtest.com.au



## **INTRODUCTION:**

Earth Test has been engaged by Tim Arthurson to assess, design and report on Site Classification and a Domestic Wastewater Management System at Lot 14 Bamboo Creek Road, Miallo.

Real Property Description:-

Lot 15, on SP 204463

Local Authority: Douglas Shire Council.

It is understood the intention is to construct a new dwelling at the site.

A site and soil evaluation was carried out in August 2016.

# **SITE FACTORS:**

The site was identified during a meeting with the owner on-site.

The Lot has an area of 4722 and is predominantly covered with grass.

The water supply to the site is reticulated.

No rock outcrops or intermittent watercourses were noted at the site.

Four Dynamic Cone Penetrometer tests were performed at locations DCP1 through to DCP4, one borehole BH1 and one constant head soil permeability test P1 as shown on the site plan. Atterberg Limits tests were performed on a disturbed sample from Borehole1.



BH1 being drilled at Lot 14 Bamboo Creek Road, Miallo

Ph: 4095 4734 Page 1 Sep-16 SI 281-16Report.doc

# **SITE INVESTIGATION REPORT**

# **BOREHOLE LOG**

CLIENT: Tim Arthurson. DATE SAMPLED: 11/08/2016

**PROJECT:** Lot 14 Bamboo Creek Road, Miallo. **Sampled by:** G. Negri

**REPORT DATE:** 5/09/2016

**BOREHOLE No: BH1** 

DOREITOLE NO.	DIII	
DEPTH (m)	DESCRIPTION	COMMENTS
0.0-0.1	Grey Brown Topsoil	Disturbed sample 0.6- 0.9m.
0.1-0.4	Grey Brown Clayey-Silt	Watertable not encountered
0.4-1.4	Yellow-Brown Clayey-Silt	
1.4-2.0	Brown Mottled Grey Clayey-Silt	

Ph: 4095 4734 Page 2 Sep-16 SI 281-16Report.doc



QBSA Lic No. 1017941.

# **ATTERBERG LIMITS TEST REPORT**

**CLIENT:** Tim Arthurson **SAMPLE No:** SI 281-16

**PROJECT:** Lot 14 Bamboo Creek Road, Miallo **DATE SAMPLED:** 11/08/2016

**SAMPLE DETAILS:** BH1 0.6-0.9m **Sampled by:** G. Negri

**REPORT DATE:** 5/09/2016 **Tested By:** G. Negri

TEST METHOD	RESULT
Liquid Limit: AS 1289.3.1.2	62%
Plastic Limit: AS 1289.3.2.1	33%
Plasticity Index: AS 1289.3.3.1	29%
Linear Shrinkage: AS 1289.3.4.1	13.0%
Length Of Mould:	250.1mm
Cracking, Crumbling, Curling, Number Of Breaks:	One Break
Sample History:	Air Dried
Preparation Method:	Dry Sieved
Insitu Moisture Content:	28.6%
% Passing 0.075mm:	89%

Ph: 4095 4734 Page 3 Sep-16 SI 281-16Report.doc

QBSA Lic No. 1017941.

# DYNAMIC CONE PENETROMETER REPORT AS 1289.6.3.2

**CLIENT:** Tim Arthurson **SAMPLE No:** SI 281-16

**PROJECT:** Lot 14 Bamboo Creek Road, Miallo. **DATE SAMPLED:** 11/08/2016

**SAMPLE DETAILS:** Sites "DCP1 through DCP4" as **Tested By:** G. Negri

per site plan.

**REPORT DATE:** 5/09/2016

DEPTH	Site: DCP1	Site: DCP2	Site: DCP3	Site: DCP4
(Metres)	No Blows	No Blows	No Blows	No Blows
0.0 - 0.1	1	1	1	1
0.1 - 0.2	1	1	1	1
0.2 - 0.3	2	2	2	2
0.3 - 0.4	3	2	2	2
0.4 – 0.5	2	2	3	3
0.5 - 0.6	2	2	4	2
0.6 - 0.7	3	2	3	2
0.7 - 0.8	2	3	3	3
0.8 - 0.9	3	3	3	2
0.9 – 1.0	2	3	2	2
1.0 – 1.1	2	3	3	3
1.1 – 1.2	3	3	3	3
1.2 – 1.3	3	3	3	4
1.3 – 1.4	4			
1.4 – 1.5				
1.5 – 1.6				
1.6 – 1.7				
1.7 – 1.8				
1.8 – 1.9				
1.9 – 2.0				

# **SITE CLASSIFICATION**

#### Lot 14 Bamboo Creek Road, Miallo.

The Dynamic Cone Penetrometer test results indicate adequate allowable bearing pressure to 1.5m.

The Atterberg Limits test results indicate a moderately reactive soil.

The characteristic surface movement  $(y_s)$  is estimated to be in the  $20 < y_s \le 40$ mm range. According to TABLE 2.3 of AS 2870-2011 the site must be classified **CLASS-"M"**.

To comply with the "Building Services Board Subsidence Policy" advice should be sought from a Registered Professional Engineer for footing design.

All site works must be carried out in accordance with AS 3798-2007 "Guidelines on earthworks for commercial and residential developments"

If the depth of any cut exceeds 0.5m or uncontrolled fill exceeds 0.4m the classification shall be reconsidered.

Because this investigation is limited in scope and extent, it is possible that areas may exist which differ from those shown on the test hole records and used in the site classification. Should any variation from the reported conditions be encountered during excavation work, this office must be notified immediately so that reappraisal of the classification can be made.

Leonard Quinn. Earth Test.

Ph: 4095 4734 Page 5 Sep-16 SI 281-16Report.doc

# **SITE AND SOIL EVALUATION**

#### Lot 14 Bamboo Creek Road, Miallo.

The site and soil evaluation carried out on 11/08/2016 provided the following results.

#### **Site Assessment**

Erosion/land slip

Site FactorResultSlope1 DegreeShapeLinear-PlanarAspectSouthExposureGood.

Boulders/rock outcrop Not encountered during investigation

Not noted.

Vegetation Grass

Watercourse/Bores Not in area affected by land application area.

Water table Not encountered during investigation. Fill Not encountered during investigation.

Flooding Not likely.
Channelled run-off Not found
Soil surface conditions Soft, Moist

Other site specific factors Nil

#### **Soil Assessment**

Soil Property	<b>Result</b>
Colour	Yellow-Brown
Texture	Clay-Loam
Structure	Weak
Coarse Fragments	Nil
Measured Permeability Ksat (m/d)	P1 = 0.061
Dispersion	Slakes
Soil Category	4
Resultant Design Load Rate, DLR (mm/day)	20

#### WASTEWATER MANAGEMENT SYSTEM

An "All-Waste" septic tank discharging into an "Advanced Enviro-Septic" bed is considered suitable for this site.

This system has been designed to conform to the requirements of the following codes, acts, regulations and standards. All work to be carried out in accordance with the following codes.

- AS/NZ 1547:2012 On-site domestic-wastewater management.
- Queensland PLUMBING AND DRAINAGE ACT 2002.
- Queensland STANDARD PLUMBING AND DRAINAGE REGULATION 2003.
- Queensland PLUMBING AND WASTEWATER CODE.

## **SYSTEM SIZING FACTORS.**

A population equivalent of six (6) persons has been chosen for the proposed four bedroom dwelling.

The residence is connected to a reticulated water supply system.

Standard water-reduction fixtures <u>must</u> be used to ensure the integrity of the system. They shall include:-

- Dual flush 6/3 Litre water closets.
- Shower-flow restrictors.
- Aerator faucets (taps).
- Water-conserving automatic washing machines.

Note: - Garbage grinders are not permitted.

As per AS/NZ 1547:2012 Appendix H, Table H1 the "Typical wastewater design flow" for a "Reticulated water supply" gives a flow allowance of 150 L/Person/day.

The daily flow for the dwelling (6 persons @ 150 L/person/day) will be 900 L/day.

From AS/NZ 1547:2012 Table J1 the minimum capacity of the All-Waste septic tank required is 3000 L.

The tank must NOT be fitted with an outlet filter.

Ph: 4095 4734 Page 7 Sep-16 SI 281-16Report.doc



## LAND-APPLICATION SYSTEM

# **DISPOSAL AREA SIZING**

From AS/NZ 1547:2012 APPENDIX L, L4 DESIGN AREA SIZING, L4.2 Sizing

L = Q / (DLRxW)

Where:

L = length in m

Q = design daily flow in L/day

DLR = Design Loading Rate in mm/d

W = Width in m

L = 900/(20\*3.57)= 12.6m.

#### Use one 3.57m wide by 12.6m long Advanced Enviro-Septic bed.

See site plan and detail cross-section.

# **SYSTEM SAND**

All configurations of Advanced Enviro-Septic® require a minimum of 150mm of system sand surrounding the circumference of the pipe. This sand, typically gravelly coarse sand, must adhere to the following percentage and quality restrictions.

AS Sieve Size (mm)	Percent Passing %
9.50	100
4.75	95-100
2.36	80-100
1.18	50-85
0.600	25-60
0.300	5-30
0.150	0-10
0.075	0-2

If there is any doubt if the sand media will pass requirements please contact Earth Test for further advice.

Ph: 4095 4734 Page 8 Sep-16 SI 281-16Report.doc

# **SYSTEM INSTALLATION**

Avoid compaction by keeping people and machinery off the finished trench or bed floor. The system shall be installed by a licensed plumber in accordance with the manufacturer's recommendations and the relevant Australian Standards.

#### **Operation and Maintenance**

Homeowners should be fully informed of the proper operation and maintenance requirements of the on-site wastewater system.


Leonard Quinn Earth Test

Ph: 4095 4734 Page 9 Sep-16 SI 281-16Report.doc






# SITE PLAN Lot 14 Bamboo Creek Road, Miallo. NOT TO SCALE



**BAMBOO CREEK ROAD** 

Ph: 4095 4734 Page 10 Sep-16 SI 281-16Report.doc



Soil


System sand

System sand

AES-IPB

**AES Inspection point detail** 


Ph: 4095 4734 Page 11 Sep-16 SI 281-16Report.doc





QBSA Lic No. 1017941.


ENVIRO-SEPTIC™ Ac  "Always The First Option"	dvanced En	viro-sep	tic C	Design Ca	alculator	V8.5	
"Always the I	BEST Option" u	ntil site and	soil co	onditions rul	e it out.		
Site Address Lot 14 Bamboo Creek Road, Miallo				State	Q	Post Code	
ient Name Tim Arthurson			_				
National Control of the Control of t	1	Designers Ph	5 11	200		Designer Lic Number	10000
Name Earth Test		Number		409547	734	(eg.QBCC)	1017941
c Plumber Name		Plumber Ph Number				Plumb / Drainer Lic Number	
ouncil Area Douglas Shire Council		Designers AES Cert Number	i i			Date	
This Calculator is a guide only, receiving soil of	classification, surface	A CONTRACTOR OF THE PARTY.	les and	all other site cor	straints addresse	d by the qualified desi	oner.
System Designers site and soil calculation data	LONG CONTRACTOR OF THE PARTY OF				IMPORTAN	14 (25)	<b>S</b> ant
ter the AES litre/meter loading rate, "30" for Advanced Secondary or "	and the same of th	38	>> '	This design is	for a SECONDA	O WINDSHIELD	
			Annual Control				Our service and se
Is this a new instal		У	>>			n or 2 x 50mm house v	ents
Nu	mber of person	6	-	a septic tank or	itlet filter is NOT	RECOMMENDED	
Daily Design Flow Allowance Lit	tre/Person/Day	150	_				
Number of rows required to suit site constra	ants	2	>> 7	The maximum Ith	of a single AES	oipe run is 30 meters	
Infiltration surface Soil Category as established by site and soil evalua-	tion. CATEGORY	4	>> (	Catagory may red	quire design cons	iderations. Ref AS1547	
Design Loading Rate based on site & soil evaluation	DLR (mm/day)	20	>> 5	Soil conditioning	may be necessar	y. Ref AS1547 & Comr	nents.
Bore log depth below	v system Basel area	1600	>> M	lin depth below b	pasel area is 600	mm to establish water	table or restrictive la
Enter System footprint Slope in % for standard AES systems to calcula	ate extension	1.5	>>	Some Councils h	ave minimum fall:	s to Land application a	reas ?
Is this design a gravity system with no outlet	filter? Yor N	у	>>	A House Vent &	LOW VENT requ	ired on this system	
PLEASE CHECK YOU HAVE FALL FROM TANK TO AES SYSTE	M PIPES						
esigners need to be familar with special requirements of Local Authorit	ties, IE - Minimun falls	from Septic tan	k outlets	s to Land applica	tion areas, etc		
Designers need to be familiar with special requirements of Local Authorit						Instructions	
						Instructions  AES dimensions	i i
flumbers are reminded that good construction techniques as per AS154	47 are especilly impor					0.0000000000000000000000000000000000000	V mozeriano sistema en como
Plumbers are reminded that good construction techniques as per AS154  AES System Calculator Outcomes	47 are especilly impor	rtant in these soi	I types.			AES dimensions	System Extension 12.6
Plumbers are reminded that good construction techniques as per AS154  AES System Calculator Outcomes  Total System load -	47 are especilly impor	rtant in these soi	I types.		AES installation	AES dimensions	System Extension
lumbers are reminded that good construction techniques as per AS154  AES System Calculator Outcomes  Total System load -  Min Length of AES pipe row	17 are especifly important of the second of	900	I types.		AES installation	AES dimensions AES System 12.6	System Extension 12.6
lumbers are reminded that good construction techniques as per AS154  AES System Calculator Outcomes  Total System load -  Min Length of AES pipe row  Number of FULL AES P  Total Capacity of AES Syst	17 are especifly important of the litres / day (Q). It is to treat loading pipe lengths per row tem pipe in Litres	900 11.8	I types.  I/d Im Iths		AES installation  Lth m: (L)  Width m:(W)	AES dimensions AES System 12.6 1.35	System Extension 12.6 2.22
lumbers are reminded that good construction techniques as per AS154  AES System Calculator Outcomes  Total System load -  Min Length of AES pipe row  Number of FULL AES P	17 are especifly important of the litres / day (Q). It is to treat loading pipe lengths per row tem pipe in Litres	900 11.8	I types.  I/d Im Iths		AES installation  Lth m: (L)  Width m:(W)  Sand Depth:	AES dimensions AES System 12.6 1.35 0.75	System Extension 12.6 2.22 0.15
lumbers are reminded that good construction techniques as per AS154  AES System Calculator Outcomes  Total System load -  Min Length of AES pipe row  Number of FULL AES P  Total Capacity of AES Syst	If are especially important litres / day (Q). If to treat loading the lengths per row tem pipe in Litres  SIGN? (ENTER Y)	900 11.8 4 1696	I types.  I/d Im Iths Itr.		Lth m : (L) Width m:(W) Sand Depth : Area m2	AES dimensions AES System 12.6 1.35 0.75	System Extension 12.6 2.22 0.15
AES System Calculator Outcomes  Total System load - Min Length of AES pipe row Number of FULL AES P Total Capacity of AES Syst	If are especially important litres / day (Q). If to treat loading the lengths per row tem pipe in Litres  SIGN? (ENTER Y)	900 11.8 4 1696	I types.  I/d Im Iths Itr.		Lth m : (L) Width m:(W) Sand Depth : Area m2	AES dimensions AES System 12.6 1.35 0.75 17.0	System Extension 12.6 2.22 0.15 28.0
AES System Calculator Outcomes  Total System load -  Min Length of AES pipe row.  Number of FULL AES P  Total Capacity of AES System  DO YOU WISH TO USE CUT LENGTHS OF PIPE IN THIS DES	17 are especifly important for the second of	900 11.8 4 1696	I types.  I/d Im Iths Itr.	Refer AS1547 &	Lth m : (L) Width m:(W) Sand Depth : Area m2	AES dimensions  AES System  12.6  1.35  0.75  17.0  stom Width in metre	System Extensio 12.6 2.22 0.15 28.0
AES System Calculator Outcomes  Total System load - Min Length of AES pipe row Number of FULL AES P Total Capacity of AES Syst  DO YOU WISH TO USE CUT LENGTHS OF PIPE IN THIS DES  IF YOU WISH TO USE A TRENCH  AES INFIETRATION FOOT PRINT AREA - L = Q / ( DLR x W )	17 are especifly important for the second of	900 11.8 4 1696	I types.  I/d Im Iths Itr.	Refer AS1547 &	Lth m : (L) Width m:(W) Sand Depth : Area m2	AES dimensions  AES System  12.6  1.35  0.75  17.0  stom Width in metre	System Extension 12.6 2.22 0.15 28.0 quired . m2 total
AES System Calculator Outcomes  Total System load -  Min Length of AES pipe row.  Number of FULL AES P  Total Capacity of AES System  DO YOU WISH TO USE CUT LENGTHS OF PIPE IN THIS DES  IF YOU WISH TO USE A TRENCH  AES INFILTRATION FOOT PRINT AREA - L = Q / (DLR x W)  for this Basic Serial design  Code  AES System Bill of Materials.	17 are especifly important for the second of	900 11.8 4 1696	I types.  I/d Im Iths Itr.	Refer AS1547 &	Lth m : (L) Width m:(W) Sand Depth : Area m2	AES dimensions  AES System  12.6  1.35  0.75  17.0  stom Width in metre  imum AES foot print re  45.0  Chankar Environmenta	System Extensio 12.6 2.22 0.15 28.0  quired . m2 total
AES System Calculator Outcomes  Total System load -  Min Length of AES pipe row.  Number of FULL AES P  Total Capacity of AES System  DO YOU WISH TO USE CUT LENGTHS OF PIPE IN THIS DES  IF YOU WISH TO USE A TRENCH  AES INFIETRATION FOOT PRINT AREA - L = Q / (DLR x W).  for this Basic Serial design  Code  AES System Bill of Materials.  S-PIPE  AES 3 mtr Lths required	17 are especifly important for the second of	900 11.8 4 1696  OPTION ENTER " Length 12.6	I/d Im Iths Itr.	Refer AS1547 &	Lth m : (L) Width m:(W) Sand Depth : Area m2	AES dimensions  AES System  12.6  1.35  0.75  17.0  stom Width in metre imum AES foot print re  45.0  Chankar Environments	System Extensio
AES System Calculator Outcomes  Total System load -  Min Length of AES pipe row.  Number of FULL AES P  Total Capacity of AES System  DO YOU WISH TO USE CUT LENGTHS OF PIPE IN THIS DES  IF YOU WISH TO USE A TRENCH  AES INFILTRATION FOOT PRINT AREA - L = Q / (DLR x W)  for this Basic Serial design  Code  AES System Bill of Materials.  S-PIPE  AES 3 mtr Lths required  AESC  AESC Couplings required	17 are especifly important for the second of	900 11.8 4 1696  OPTION ENTER " Length 12.6	I/d Im Iths Itr.	Refer AS1547 &	Lth m : (L) Width m:(W) Sand Depth : Area m2	AES dimensions  AES System  12.6  1.35  0.75  17.0  stom Width in metre imum AES foot print re  45.0  Chankar Environmenta	System Extensio  12.6 2.22 0.15 28.0  quired . m2 total  I Use Only tally signed by e Dickson cn=Kane Dickson
AES System Calculator Outcomes  Total System load - Min Length of AES pipe row. Number of FULL AES P Total Capacity of AES Syst  DO YOU WISH TO USE CUT LENGTHS OF PIPE IN THIS DES  IF YOU WISH TO USE A TRENCH  AES INFIETRATION FOOT PRINT AREA - L = Q/(DLR x W) for this Basic Serial design  Code  AES System Bill of Materials. S-PIPE AES 3 mtr Lths required AESC AESC Couplings required AESC AESC Offset adaptors	17 are especifly important for the second of	900 11.8 4 1696  OPTION ENTER " Length 12.6	I/d Im Iths Itr.  I this ea ea	Refer AS1547 &	Lth m : (L) Width m:(W) Sand Depth : Area m2	AES dimensions  AES System  12.6  1.35  0.75  17.0  stom Width in metre  imum AES foot print re  45.0  Chankar Environments  Digit Kan DN: 0=C	System Extension 12.6 2.22 0.15 28.0  quired . m2 total  Use Only tally signed by e Dickson cn=Kane Dicksor hankar
AES System Calculator Outcomes  Total System load - Min Length of AES pipe row. Number of FULL AES P Total Capacity of AES Syst  DO YOU WISH TO USE CUT LENGTHS OF PIPE IN THIS DES  IF YOU WISH TO USE A TRENCH AES INFILTRATION FOOT PRINT AREA - L = Q/(DLR x W) for this Basic Serial design  Code  AES System Bill of Materials. S-PIPE  AES 3 mtr Lths required AESC AESC Couplings required AESO AESO Offset adaptors AESO Offset adaptors AESO Oxen demand vent	17 are especifly important for the second of	900 11.8 4 1696  OPTION ENTER " Length 12.6 8 6 4	I/d Im Iths Itr.  I this ea ea ea	Refer AS1547 &	Lth m: (L) Width m:(W) Sand Depth: Area m2  Enter Cus Min	AES dimensions  AES System  12.6  1.35  0.75  17.0  stom Width in metre imum AES foot print re  45.0  Chankar Environmenta  Digi Kan DN: 0=0 Env	System Extension 12.6 2.22 0.15 28.0  quired . m2 total  I Use Only tally signed by e Dickson cn=Kane Dickson
AES System Calculator Outcomes  Total System load -  Min Length of AES pipe row.  Number of FULL AES P  Total Capacity of AES Syst  DO YOU WISH TO USE CUT LENGTHS OF PIPE IN THIS DES  IF YOU WISH TO USE A TRENCH  AES INFILTRATION FOOT PRINT AREA - L = Q / (DLR x W)  for this Basic Serial design  Code  AES System Bill of Materials.  S-PIPE  AES 3 mtr Lths required  AESC  AESC Couplings required  AESC  AESO Offset adaptors  AESO OFfset adaptors  AES Oxgen demand vent  AES INOmm inspection point base	17 are especifly important for the second of	900 11.8 4 1696  OPTION ENTER " Length 12.6	I/d Im Iths Itr.  Iths ea ea ea	Refer AS1547 &	Lth m: (L) Width m:(W) Sand Depth: Area m2  Enter Cus Min	AES dimensions  AES System  12.6  1.35  0.75  17.0  Stom Width in metre  imum AES foot print re  45.0  Chankar Environments  Digit Kan DN: 0=Cenv Environments  ANCED IRO-SEPTIC Ou- e first Optoor' e first Optoor' e mail	System Extension 12.6 2.22 0.15 28.0  quired . m2 total  I Use Only tally signed by e Dickson cn=Kane Dicksor hankar ronmental, Design Review, il=designreviewe
AES System Calculator Outcomes  Total System load -  Min Length of AES pipe row.  Number of FULL AES P  Total Capacity of AES System  DO YOU WISH TO USE CUT LENGTHS OF PIPE IN THIS DES  IF YOU WISH TO USE A TRENCH  AES INFIETRATION FOOT PRINT AREA - L = Q / (DLR x W)  for this Basic Serial design  Code  AES System Bill of Materials.  S-PIPE  AES 3 mtr Lths required  AESC  AESC Couplings required  AESC  AESO Offset adaptors  AESO OFfset adaptors  AESO AESO Offset adaptors  AESO AESO Offset adaptors  AESO AESO Offset adaptors  AESO AESO Offset adaptors  AES Oxgen demand vent  AES INOMM Inspection point base  AES Equ  AES Speed Flow Equaliser	47 are especilly important of the control of the co	900 11.8 4 1696  OPTION ENTER " Length 12.6 8 6 4 1	I/d Im Iths Itr.  Iths ea ea ea ea	Refer AS1547 &	Lth m: (L) Width m:(W) Sand Depth: Area m2  Enter Cus Min	AES dimensions  AES System  12.6  1.35  0.75  17.0  stom Width in metre  imum AES foot print re  45.0  Chankar Environmenta  Digit Kan DN:	System Extension 12.6 2.22 0.15 28.0  quired . m2 total  I Use Only tally signed by e Dickson cn=Kane Dickson rhakar ironmental, Design Review, il=designreview, o-septic.com.au,
AES System Calculator Outcomes  Total System load - Min Length of AES pipe row. Number of FULL AES P Total Capacity of AES Syst  DO YOU WISH TO USE CUT LENGTHS OF PIPE IN THIS DES  IF YOU WISH TO USE A TRENCH  AES INFIETRATION FOOT PRINT AREA - L = Q / (DLR x W) for this Basic Serial design  Code  AES System Bill of Materials. S-PIPE  AES 3 mtr Lths required AESC AESC Couplings required AESC AESO AESO Offset adaptors AESODV  AES Oxgen demand vent AES 100mm inspection point base	47 are especilly important of the control of the co	900 11.8 4 1696  OPTION ENTER " Length 12.6 8 6 4	I/d Im Iths Itr.  Iths ea ea ea	Refer AS1547 &	Lth m: (L) Width m:(W) Sand Depth: Area m2  Enter Cus Min	AES dimensions  AES System  12.6  1.35  0.75  17.0  Stom Width in metre  imum AES foot print re  45.0  Chankar Environments  Digit Kan DN: 0=C Environments  ANCED FIG. SEPTIC  oue environments  ANCED FIG. SEPTIC  oue environments	System Extensio  12.6 2.22 0.15 28.0  quired . m2 total  I Use Only tally signed by e Dickson cn=Kane Dickson hankar ronmental, Design Review, ill=designreview, o-septic.com.au, U
AES System Calculator Outcomes  Total System load -  Min Length of AES pipe row.  Number of FULL AES P  Total Capacity of AES System  DO YOU WISH TO USE CUT LENGTHS OF PIPE IN THIS DES  IF YOU WISH TO USE A TRENCH  AES INFILTRATION FOOT PRINT AREA - L = Q / (DLR x W)  for this Basic Serial design  Code  AES System Bill of Materials.  S-PIPE  AES 3 mtr Lths required  AESC  AESC Couplings required  AESC  AESO Offset adaptors  AESODV  AES Oxgen demand vent  AES INOmm Inspection point base  AES Equ  AES Speed Flow Equaliser	47 are especifly important of the control of the co	900 11.8 4 1696  OPTION ENTER " Length 12.6 8 6 4 1	I/d Im Iths Itr.  Iths ea ea ea ea	Refer AS1547 &	Lth m: (L) Width m:(W) Sand Depth: Area m2  Enter Cus Min	AES dimensions  AES System  12.6  1.35  0.75  17.0  Stom Width in metre  imum AES foot print re  45.0  Chankar Environments  Digg Kan DN: 0=C Env RO-SEPTIC Ou= emis	System Extensio  12.6 2.22 0.15 28.0  quired . m2 total  I Use Only tally signed by e Dickson cn=Kane Dickson hakar ironmental, Design Review, il=designreview. o-septic.com.au,
AES System Calculator Outcomes  Total System load -  Min Length of AES pipe row.  Number of FULL AES P  Total Capacity of AES System  DO YOU WISH TO USE CUT LENGTHS OF PIPE IN THIS DES  IF YOU WISH TO USE A TRENCH  AES INFILTRATION FOOT PRINT AREA - L = Q / (DLR x W)  for this Basic Serial design  Code  AES System Bill of Materials.  AESC  AESC Couplings required  AESC  AESC Offset adaptors  AESO MESODV  AES Oxgen demand vent  AES 100mm Inspection point base  AES Equ  AES Speed Flow Equaliser  TOTAL SYSTEM SAND REQUIRED (Guide Onle	Itres / day (Q). Itres	900 11.8 4 1696  OPTION ENTER " Length 12.6 8 6 4 1	I/d Im Iths Itr.  Iths ea ea ea ea	Refer AS1547 &	Lth m: (L) Width m:(W) Sand Depth: Area m2  Enter Cus Min	AES dimensions  AES System  12.6  1.35  0.75  17.0  Stom Width in metre  imum AES foot print re  45.0  Chankar Environments  Digg Kan DN: 0=C Env RO-SEPTIC Ou= emis	System Extension 12.6 2.22 0.15 28.0  quired . m2 total  I Use Only tally signed by e Dickson cn=Kane Dickson hankar ronmental, Design Review, ill=designreview. 0-septic.com.au, U expected: 2016.09.02 9:35 +10'00'
AES System Calculator Outcomes  Total System load -  Min Length of AES pipe row.  Number of FULL AES P  Total Capacity of AES System  DO YOU WISH TO USE CUT LENGTHS OF PIPE IN THIS DES  IF YOU WISH TO USE A TRENCH  AES INFILTRATION FOOT PRINT AREA - L = Q / (DLR x W)  for this Basic Serial design  Code  AES System Bill of Materials.  S-PIPE  AES 3 mtr Lths required  AESC  AESC Couplings required  AESO  AESO Offset adaptors  AESO OFfset adaptors  AESO AESO Offset adaptors  AES Oxgen demand vent  AES 100mm Inspection point base  AES Equ  AES Speed Flow Equaliser  TOTAL SYSTEM SAND REQUIRED (Guide Onlede)	litres / day (Q). Is to treat loading lipe lengths per row tem pipe in Litres  SIGN? (ENTER Y)  EXTENSION DESIGN (  is	900 11.8 4 1696  OPTION ENTER " Length 12.6 8 6 4 1 2	I/d Im Iths Itr.  I this ea ea ea ea ea m3	Width 3.57	Lth m: (L) Width m:(W) Sand Depth: Area m2  Enter Cus Min	AES dimensions  AES System  12.6  1.35  0.75  17.0  Stom Width in metre  imum AES foot print re  45.0  Chankar Environments  Digi Kan DN: 0=C Env endint Option*  eminimit c=A Date 10:4	System Extension 12.6 2.22 0.15 28.0  quired . m2 total  I Use Only tally signed by e Dickson cn=Kane Dickson hankar ronmental, Design Review, ill=designreview. Use 2016.09.02 9:35 +10'00'
AES System Calculator Outcomes  Total System load - Min Length of AES pipe row. Number of FULL AES P Total Capacity of AES System  DO YOU WISH TO USE CUT LENGTHS OF PIPE IN THIS DES  IF YOU WISH TO USE A TRENCH  AES INFILTRATION FOOT PRINT AREA - L = Q / (DLR x W)  for this Basic Serial design  Code  AES System Bill of Materials.  S-PIPE  AES 3 mtr Lths required  AESC  AESC Couplings required  AESO  AESO Offset adaptors  AESO OFfset adaptors  AESO OFfset adaptors  AESO OFFSet AESO Flow Equaliser  TOTAL SYSTEM SAND REQUIRED (Guide Onl  PLEASE email your AES CALC and Drawings  DESIGNREVIEW@ENVIRO-SEPTIC.COM.AU  The AES Calculator is a design aid to allow checking of the AES componing the AES Calculator is a design aid to allow checking of the AES componing the AES componing and to allow checking of the AES componing the AES componing and to allow checking of the AES componing the AES Calculator is a design aid to allow checking of the AES componing the AES componing and to allow checking of the AES componing the AES componing and to allow checking of the AES componing the AES componing and to allow checking of the AES componing the AES componing the AES componing and to allow checking of the AES componing the AES compo	Itres / day (Q). Itres / day (Q). It to treat loading lipe lengths per row tem pipe in Litres  SIGN? (ENTER Y)  EXTENSION DESIGN (I)  Is to	900 11.8 4 1696  OPTION ENTER " Length 12.6 8 6 4 1 2 20 on and is a guide	I/d Im Iths Itr.  I this ea ea ea ea ea m3	Width 3.57	Lth m: (L) Width m:(W) Sand Depth: Area m2  Enter Cus Min	AES dimensions  AES System  12.6  1.35  0.75  17.0  Stom Width in metre  imum AES foot print re  45.0  Chankar Environments  Digi Kan DN: 0=C Env endint Option*  eminimit c=A Date 10:4	System Extension 12.6 2.22 0.15 28.0  quired . m2 total  I Use Only tally signed by e Dickson cn=Kane Dickson hankar ronmental, Design Review, ill=designreview.o-septic.com.au, Use: 2016.09.02 9:35 +10'00'
AES System Calculator Outcomes  Total System load - Min Length of AES pipe row. Number of FULL AES P Total Capacity of AES System  DO YOU WISH TO USE CUT LENGTHS OF PIPE IN THIS DES  IF YOU WISH TO USE A TRENCH  AES INFILTRATION FOOT PRINT AREA - L = Q / (DLR x W)  for this Basic Serial design  Code  AES System Bill of Materials.  S-PIPE  AES 3 mtr Lths required  AESC  AESC Couplings required  AESO  AESO Offset adaptors  AESO Offset adaptors  AESO Offset adaptors  AESO OFFSet AESO TOMM Inspection point base  AES Equ  AES Speed Flow Equaliser  TOTAL SYSTEM SAND REQUIRED (Guide Onl  PLEASE email your AES CALC and Drawings  DESIGNREVIEW@ENVIRO-SEPTIC.COM.AU	Itres / day (Q). Itres / day (Q). It to treat loading lipe lengths per row tem pipe in Litres  SIGN? (ENTER Y)  EXTENSION DESIGN (  is  is	900 11.8 4 1696  OPTION ENTER " Length 12.6  8 6 4 1 2 20 on and is a guide	I types.  I/d Im Iths Itr.  x Iths ea ea ea ea ea m3	Width 3.57	Lth m: (L) Width m: (W) Sand Depth: Area m2  Enter Cus Min	AES dimensions  AES System  12.6  1.35  0.75  17.0  Stom Width in metre  imum AES foot print re  45.0  Chankar Environments  Digi Kan DN: 0=C Env endint Option*  eminimit c=A Date 10:4	System Extension 12.6 2.22 0.15 28.0  quired . m2 total  I Use Only tally signed by e Dickson cn=Kane Dickson hankar ronmental, Design Review, ill=designreview. 0-septic.com.au, U expected: 2016.09.02 9:35 +10'00'
AES System Calculator Outcomes  Total System load - Min Length of AES pipe row. Number of FULL AES P Total Capacity of AES Syst  DO YOU WISH TO USE CUT LENGTHS OF PIPE IN THIS DES  IF YOU WISH TO USE A TRENCH  AES INFILTRATION FOOT PRINT AREA - L = Q / (DLR x W) for this Basic Serial design  Code  AES System Bill of Materials. S-PIPE  AES 3 mtr Lths required  AESC  AESC Couplings required  AESO  AESO Offset adaptors  AESO OFfset adaptors  AESO OFfset adaptors  AESO OFfset adaptors  AESO AESO Offset adaptors  AES Oxgen demand vent  AES-IPB  AES 100mm Inspection point base  AES Equ  AES Speed Flow Equaliser  TOTAL SYSTEM SAND REQUIRED (Guide Onl  PLEASE email your AES CALC and Drawings  DESIGNREVIEW@ENVIRO-SEPTIC.COM.AU  The AES Calculator is a design aid to allow checking of the AES componentitions referencing the AS 1547 standard are calculated and designed	Itres / day (Q). Itres / day (Q). It to treat loading lipe lengths per row tem pipe in Litres  SIGN? (ENTER Y)  EXTENSION DESIGN (  Is  Is  Is  Is  Is  Is  Is  Is  Is  I	900 11.8 4 1696  OPTION ENTER " Length 12.6  8 6 4 1 2 20 on and is a guide	I types.  I/d Im Iths Itr.  x Iths ea ea ea ea ea m3	Width 3.57	Lth m: (L) Width m: (W) Sand Depth: Area m2  Enter Cus Min	AES dimensions  AES System  12.6  1.35  0.75  17.0  Stom Width in metre  imum AES foot print re  45.0  Chankar Environments  Digi Kan DN: 0=C Env endint Option*  eminimit c=A Date 10:4	System Extension 12.6 2.22 0.15 28.0  quired . m2 total  I Use Only tally signed by e Dickson cn=Kane Dickson hankar ronmental, Design Review, ill=designreview. 0-septic.com.au, U expected: 2016.09.02 9:35 +10'00'



BAMBOO CREEK ROAD



PROJECT



2 Area Plan 1 : 200


Sheet List		
Sheet		
Number	Sheet Name	
1 of 4	Site Plan, Sheet List	
2 of 4	Floor Plan	
3 of 4	Elevations - Sheet 1	
4 of 4	Elevations - Sheet 2	

GREG	<b>SKYRING</b>
Design	and DRAFTING Pty. Ltd.

Lic Under QBSA Act 1991 - No 1040371

11 Noli Close, Mossman Q. 4873 Phone/Fax: (07) 40982061 Mobile: 0419212652 Email: greg@skyringdesign.com.au Proposed Residence, Bamboo Creek Road, L14 SP204463 MAMBOO

CLIENT		WIND CLASS	PLAN NUMBER	SHEET
T & N Arthurson		C2	504-16	1 of 4
SCALES	PLAN TITLE		DATE OF ISSUE	REV
As indicated Site Plan, Sheet List			prelim 23.03.17	В




GREG	SKYRING
Design	and DRAFTING Pty. Ltd.


Lic Under QBSA Act 1991 - No 1040371

11 Noli Close, Mossman Q. 4873 Phone/Fax: (07) 40982061 Mobile: 0419212652 Email: greg@skyringdesign.com.au Proposed Residence, Bamboo Creek Road, L14 SP204463 MAMBOO

CLIENT		WIND CLASS	PLAN NUMBER	SHEET
T & N Arthurson		C2	504-16	2 of 4
SCALES	PLAN TITLE		DATE OF ISSUE	REV
1 : 100	Floor Plan		prelim 23.03.17	В



1 Front Elevation 1: 100



Right Elevation
1:100


GREG SKYRING Design and DRAFTING Pty. Ltd.


Lic Under QBSA Act 1991 - No 1040371

11 Noli Close, Mossman Q. 4873 Phone/Fax: (07) 40982061 Mobile: 0419212652 Email: greg@skyringdesign.com.au Proposed Residence, Bamboo Creek Road, L14 SP204463 MAMBOO

PROJECT

CLIENT		WIND CLASS	PLAN NUMBER	SHEET	
T & N Arthurson		C2	504-16	3 of 4	
SCALES	PLAN TITLE		DATE OF ISSUE	REV	
1 : 100	Elevations - Sheet 1		prelim 23.03.17	В	





2 Left Elevation 1: 100

GREG SKYRING

Design and DRAFTING Pty. Ltd.

Lic Under QBSA Act 1991 - No 1040371

11 Noli Close, Mossman Q. 4873 Phone/Fax: (07) 40982061 Mobile: 0419212652 Email: greg@skyringdesign.com.au Proposed Residence, Bamboo Creek Road, L14 SP204463 MAMBOO

PROJECT

CLIENT		WIND CLASS	PLAN NUMBER	SHEET
T & N Arthurson		C2	504-16	4 of 4
SCALES	PLAN TITLE		DATE OF ISSUE	REV
1 : 100	Elevations - Sheet 2		prelim 23.03.17	В

# **GMA Certification Pty Ltd**

53 150 435 617 A.B.N.

OFFICE ADDRESS: Suite 26 "Advance Business Centre" 39-47 Lawrence Drive **NERANG QLD 4211** 

POSTAL ADDRESS: PHONE: 07 5578 1622 PO Box 2760 NERANG QLD 4211

FAX: 07 5596 1294 EMAIL: admin@gmacert.com.au



**PURCHASE ORDER** 

Purchase No: 00031531

Date: 08-Jun-17

TO: **BA NUMBER:** 20170724

**Douglas Shire Council** PO Box 723 Mossman QLD 4873

**SITE ADDRESS:** Lot 14 Bamboo Creek Road, Miallo

DESCRIPTION	AMOUNT	CODE
Planning Application Fee	\$306.00	FRE

Your Invo	ice No.:		Vendor AE	<b>N</b> : 71 241 237 800	GST:	\$0.00
Code	Rate	GST	Sale Amount		Total inc GST:	\$306.00
FRE GST	0% 10%	\$0.00 \$0.00	\$306.00 \$0.00		Amount Applied:	\$0.00
					Balance Due:	\$306.00

Please find attached our payment to the value of

\$306.00 for the above listed items.

PLEASE QUOTE our Purchase Order Number on the Receipt.

Receipts can be emailed or posted to the address at the top of this Purchase Order.