

PO Box 723 Mossman Qld 4873 www.douglas.qld.gov.au enquiries@douglas.qld.gov.au ABN 71 241 237 800

19 August 2021

Administration Office 64 - 66 Front St Mossman P 07 4099 9444 F 07 4098 2902

Enquiries:Jenny ElphinstoneOur Ref:MCUC 2021_4287/1 (Doc ID 1030720)Your Ref:Mahogany

Phillaman & Eugenia Davis C/- McPeake Town Planning Qld Pty Ltd PO Box 5829 CAIRNS QLD 4870

Email: approvals@jamesmcpeake.com.au

Attention Mr James McPeake

Dear Sir

Development Application for Material Change of Use (Dwelling house & shed) At Mahogany Road Diwan On Land Described as LOT: 5 RP: 738674

Please find attached the Decision Notice for the above-mentioned development application.

Please quote Council's application number: MCUC 2021_4287/1 in all subsequent correspondence relating to this development application.

Should you require any clarification regarding this, please contact Jenny Elphinstone on telephone 07 4099 9444.

Yours faithfully

For Paul Hoye Manager Environment & Planning

encl.

- Decision Notice
 - Approved Drawing(s) and/or Document(s)
 - Reasons for Decision
- Advice For Making Representations and Appeals (Decision Notice)



Decision Notice

Approval (with conditions)

Given under section 63 of the Planning Act 2016

Applicant Details	
Name:	Phillaman & Eugenia Davis
Postal Address:	C/- McPeake Town Planning QLD Pty Ltd PO Box 5829 CAIRNS QLD 4870
Email:	approvals@jamesmcpeake.com.au
Property Details	
Street Address:	Mahogany Road Diwan

Street Address:	Manogany Road Diwan
Real Property Description:	Lot 5 on RP738674
Local Government Area:	Douglas Shire Council

Details of Proposed Development

Development Permit for a Material Change of Use Dwelling House (Shed and Domestic Outbuildings).

Decision

Date of Decision:	19 August 2021
Decision Details:	Approved (subject to conditions)

Approved Drawing(s) and/or Document(s)

Copies of the following plans, specifications and/or drawings are enclosed.

The term 'approved drawing(s) and/or document(s) or other similar expressions means:

Drawing or Document	Reference	Date
Site Plan	McPeake Town Planning Pty Ltd, Drawing No, Davis PO1 c, Revision A	8 July 2021

Drawing or Document	Reference	Date
Engineering Plans:	Applicant's Cover Sheet, Total	Toral Span Plans
Cover Sheet;	Span Project Reference 247960 and Summermore Pty Ltd	29 April 2021
Site Plan;	Drawings SBP-S1-S8 & S10-S13	Summore Plans 6 July 2020
Plans and Elevations;	Revision A	
SBP-S1 Rev.A Engineering Table;		
SBP-S2 Rev.A General Notes and Specs;		
SBP-S3 Rev.A Typical Connection Details;		
SBP-S4 Rev.A Intermediate Portal Connection Details ;		
SBP-S5-S6 Rev.A Gable and Side Wall Openings ;		
SBP-S7 Rev.A Hold Down and Misc;		
SBP-S8 Rev.A Uprights/Bracing;		
SBP-S10 Rev.A Garaports; and		
SBP-S11-S12-S13 Rev.A Slabs.		

Assessment Manager Conditions & Advices

Conditions

- 1. Carry out the approved development generally in accordance with the approved drawing(s) and/or document(s), and in accordance with:
 - a. The specifications, facts and circumstances as set out in the application submitted to Council;
 - b. The following conditions of approval and the requirements of Council's Planning Scheme and the FNQROC Development Manual.

Except where modified by these conditions of approval

Timing of Effect

2. The conditions of the Development Permit must be effected prior to Commencement of Use, except where specified otherwise in these conditions of approval.

Water Supply

- 3. Where a water tank is to be provided, the water storage tank(s) must be provided with:
 - a. Mosquito-proof screens of brass, copper, aluminium or stainless steel gauze not coarser than one (1) mm aperture mesh of substantial construction and installed in such manner as not to cause or accelerate corrosion; or
 - b. Flap valve at every opening of the tank or other receptacle; or
 - c. Other approved means for preventing the ingress or egress of mosquitoes; and
 - d. The water tank(s) shall be fitted with a 50 mm ball valve with a camlock fitting.

Generators

4. Noise from generators, air-conditioning units, service equipment or other mechanical equipment, must not emanate from the subject land to a degree that would, in the opinion of the Chief Executive Officer, create an environmental nuisance having regard to the provisions of Chapter 8 Part 3B of the *Environmental Protection Act 1994*.

Fuel Storage

5. All fuels must be stored in an undercover and secure location at all times.

Advices

- 1. This approval, granted under the provisions of the Planning Act 2016, shall lapse six (6) years from the day the approval takes effect in accordance with Section 85 of the Planning Act 2016.
- 2. The method of any on-site effluent disposal must be in accordance with the Queensland Plumbing & Wastewater Code.
- 3. This approval does not negate the requirement for compliance with all other relevant Local Laws and other statutory requirements.
- 4. For information relating to the *Planning Act* 2016 log on to <u>www.dsdmip.qld.gov.au</u>. To access the *FNQROC Development Manual*, Local Laws and other applicable Policies log on to <u>www.douglas.qld.gov.au</u>.

Further Development Permits

Please be advised that the following development permits are required to be obtained before the development can be carried out:

• All Building Work

All Plumbing and Drainage Work must only be carried in compliance with the Queensland *Plumbing and Drainage Act 2018.*

Currency Period for the Approval

This approval, granted under the provisions of the *Planning Act 2016*, shall lapse six (6). years from the day the approval takes effect in accordance with the provisions of Section 85 of the *Planning Act 2016*.

Rights to make Representations & Rights of Appeal

The rights of applicants to make representations and rights to appeal to a Tribunal or the Planning and Environment Court against decisions about a development application are set out in Chapter 6, Part 1 of the *Planning Act 2016.*

A copy of the relevant appeal provisions is attached.

Approved Drawing(s) and/or Document(s)



ENGINEERING

CONTENTS


Cover Sheet	1
Site Plan	2
Plans and Elevations	3
SBP-S1 Rev.A Engineering Table	6
SBP-S2 Rev.A General Notes and Specs	7
SBP-S3 Rev.A Typical Connection Details	8
SBP-S4 Rev.A Intermediate Portal Connection Details	9
SBP-S5-S6 Rev.A Gable and Side Wall Openings	10
SBP-S7 Rev.A Hold Down and Misc	12
SBP-S8 Rev.A Uprights/Bracing	13
SBP-S10 Rev.A Garaports	14
SBP-S11-S12-S13 Rev.A Slabs	15

Page 1

Site Specific Windspeed Report




			Major Structural Elements	Cladding and Immediate Supporting Elements
Wind Region:	C	Terrain Category (TC):	2.0	2.0
Latitude:	-16.2103552	Critical Direction:	WEST Wind	WEST Wind
Longitude:	145.4036251	Md:	0.95	1.00
Elevation:	29.50	Mz, cat:	0.91	0.91
Importance Level:	2	Ms:	1.00	1.00
Average Height:	3.16	Mt:	1.00	1.00
ULTIMATE VR:	69 m/s	WIND SPEED (Vsit, β):	59.65 m/s	62.79 m/s
ULTIMATE ARI:	vr_500	WIND PRESSURE (qsit, β):	2.1349 kPa	2.3656 kPa



- 1	Legend
	T.C.1
	T.C.1.5
	T.C.2
	T.C.2.5
	T.C.3
	T.C.4

Customer Name:	Phill Davies
Site Address:	Lot 5 Maghogany Road DIWAN 4873 QLD Australia
Project Reference:	247960











29/04/2021 Page 1 of 2


TOTALSPAN



















GABLE WALL										SIDE WALL									
Region A T.C.3					Roller do	or Head heights:				Region A T.C.3					Roller door He	ad heights:			1
Door width	2100	2400	2700	1636	5686	4205	4953	4800	5100	Door width	2100	2400	2 /nn	1000	uan	4200	4100	1800	, NIDO
2100	TC150 10 TC150 10	TC150 10 TC150 10	IC1.0 10	IC150-12 IC150-12	1C220 19 18220 12	19220-12	15220-12	1420.15	16220-19 18220-19	2100	TC150-10 TC150-10	TC150-10 TC150-10	R15010 1015010	10150-12	IC220 12 IC220 19	18220-12 18220-12	18220-12	III.2.20 1.2 III.2.20 1.2	18220-15 18220-19
2700	TC150 10	TC150 10	101-01-12	10150-15	14720 12	18220-12	16220-15	10220 19/10150 IN	10220 TRACE INC. IN	2700	TC150-10	TC150-10	IC150.10	10150-15	10220-19	11/2 2/2 1/2	18220-12	18228-15	1020110
3000	TC150 10 TC150-10	TC150 10 TC150 17	10150-12	18150-13	18220 12 18220 12	18220-15	18220 19	10220 10/10150 15 10220 19/10150 15	10220 10/10150 15 10220 15/10150 15	3000	IC150-10 IC150-10	10150-10	IC150-10 IC150-12	10136-15 18136-10	18220-12 18220-12	18220-12 18220-12	18220-12	16220-15	16220 19/10150 15 16220 15/10150 15
3600	TC150-10	TC150-12	161.00.15	18152-13	11/220 12	19420-15	16420 19	10.220 19/10150 15	READO 19/10/190 15	3600	IC150-10	10150-10	K15012	19:50 10	10220 12	1822012	19220-15	19220-19	16220 19/18150 10
3900	TC150-10	TC150-12	101.40 L5	00150-10	18220 12	10220 19	10220 19/10160 15 10220 19/10160 15	10220 19/10150 15	10220 19/10150 10 10220 15/10150 10	3900	IC150-10	10150-12	IC150-15 IC150-15	181.50 10	18220-12 18220-12	18220-15 18220-15	18220-19 18220-19	18220-19 17220-19/13150-10	16220 19/18150 10 16220 15/18150 10
4200	TC150-10 TC150-12	TC150-15 TC150-15	131-01-00	10156-10	14720 12 18220 12	18220 19	IC220 19/ C150 15 IC220 19/ C150 15	12220 19/10150-15 16220 19/10150-10	10220 19710150 10 10220 19710150 15	4200	IC150-10 IC150-10	1C150-12 1C150-12	IC150-15 IC150-15	13150 10 13150 10	18220 12	11220-15	1820 19	10220 19/13150 10 10220 19/13150 10	. IC220 10/18150 12
4800	TC150-12	TC150-15	131 x0 10	fit150-10	1822.0.15	16220 19/10150 15	10220 19/10150 15	10220 19/14050 10	IC720 15/18150 15	4800	IC150-12	10150-15	IC150-15	18:\0.10	18220-12	15220-19	18270-19	10220 10/14150 LC	10220 15/18150 12
5100	1C150-12	10150 15	1 1 1 1 1 10	0150-12	19220-15	1022019/1015015	10220 10/ 0150 10	10220 19/14159 10	16220 19/18/160 15	5100	IC150-12	10150-15	K150.15	14.50.10	10220-12	11/22/01/12	10220 19705150 10	10220 19/1 1/50 12	16220 19/18150 15
Region A I C 2 / Reg or 8 1.0.3 (ps)				Neller do	ar Head heights:				Region A I.C.2 / Reg	on 8 I.C.3 (ps)				Roller door He	ad balaista			
Door width	2100	2400	2708	1000	3600	4705	4500	4800	5100	Door width	2100	2400	2/00	.3000	1610	4200	4100	4800	\$100
2100	1C150-10 1C150-10	IC150-12 IC150-12	10150-12	IC150-15 IC150-15	10220-12 10220-12	11220-12	15220-15	14220-19 10220-19/10150-12	16220 19/10150 12 18220 12/10150 10	2100	TC150-10 TC150-10	TC150-10 TC150-10	K158.10 K158.12	10 50 15 10120 15	10220 19 10220 10	11/22/01/2	11/270-12 11/220-12	10220-12	18220-15 18220-19
2/00	10150-10	10150-15	101-10-15	0150-10	18220 12	18220 15	15220 11	10220 19/10159 15	18220 12/10150 10	2700	TC150 10	TC150 12	ICIND IN	1015015	18220 12	11/2 20 12	10220-15	18220 19	18220-110
3000	IC150-12	IC150-15	10150-15	18150-10 00150-10	10220 12	19220-19	10220 19/ 0150 15 10220 19/ 0150 15	10220 19/10150 15 10220 19/14150 10	16220 12/10150 10 16220 12/10150 12	3000	TC150 10	TC150 12 TC150 15	10150-10	131.00 10	III.2.20 1.2	1822012	18220-15	ILLE20 19 IC220 12/IC150 15	16220 19/10150 15
3300	1C150-12 TC150-15	TE150-15 TE150-10	151 x2 10	0150-10	18220 12	16220-15 16220-15/10150-15	10220 19/1010 19	10220 19/14150 10	18220 12/10150 12	3300	TC150 12	TC150 15	18150.10	11.30.10	10220-12	102015	16226-19	1020 15/10150 15	10220 19/16/16 16
3900	TC150-15	TB150-10	131.40 10	08150-1D	18220 15	10220 19/10150 15	IC220 19/10150 10	16220 19/14150 12	18220-12/10150-15	3900	TC350 12	TC150 15	10150-10	101.50 10	18220 12	182.40 19	18220-19	IC220 19/1 050 10	10220 107 8150 10
4200	TC150-15 TC150-15	TB150 IN TB150 IU	131 v0 10	18156-10 18156-10	18220 15 10220 15	16220-19/16150-15 16220-19/16150-10	10220 19/10150 10 10220 19/ 0150 12	10220 19/14159 12 10220 19/14159 15	18220-12710150-15 18220-12718150-10	4200 4500	TC150 12 TC150 15	TC150 15 TC150 15	10150-10 10150-10	13:50.10	10220-12	18220-11	10220-15/1016-15 10220-15/10150-15	12220 19214150 LC 16220 1971 050 LC	16220 15/1050 10 16220 19/1050 12
4800	TC150-15	TB150-10	131.46.10	fB150-12	IB220 19	IC220 19/18158 10	IC220 19/18150 12	10220 19/14150 15	16220 12/18150 10	4800	TC150 15	TB150 10	18150-10	18:30 10	18225 12	16220-19	IC220 19/18150 10	1C220 19/14150 LC	IC220 19/18150 12
5100	TC150-15	TB150 III	131-0112	18156-12	147 2 0 14	1722/0 Tel/TRUSH 12	17335 197 11351 15	10220 10/13050 15	18220 12718150 10	5100	TC150 15	TB150 10	10150-10	15 sõ in	10220-15	11020111	12335 19/16150-16	12220 1-1/13/50 12	12220 15/21/150 15
Rogion 3 T.C.2	-									Region B T.C.2									
Door width	2100	2400	2/00	.000	Moller do 3600	r Head heights: 4200	4500	4400	5100	Deer width	2100	2400	2/00	3000	Koller door He 3640	ad heights: 4200	4500	4,800	5100
2100	TC150 12	TC150 15	131-0.10	B156-D	16220 12	1/228 IN/10150 12	10226 10/10150 15	10220 19/18/50 TC	18220 12/17150 12	2100	TC150-10	TC150-12	IC150-15	15/ 50 10	18220 12	11220-15	18220-19	17220 19717150 12	10220 15/10150 15
2400	TC150 15 TC150 15	TC130 15 TB130 10	131.40.10	10150-15	18220 15 18220 19	1C220 19/1C150 15 1C220 19/10150 10	1C220 19/10150 15 1C220 19/10150 12	10220 19/1 050 12 18220 12/10/50 15	18220 12/10150 15 18220 12/18150 10	2400	TC150-12 IC150-15	TC150-15 1C150-15	10150-10 10150-10	131.50 10 131.50 10	18220-12 18220-12	18220 15 18220 15	18220-19 16220-19/16150-15	16220 19/16150 15 18220 12/16150 18	18220 12/10150 10 18220 12/10150 10
3000	TC150 15	TB130 IU	111/01/2	0/150/15	0220 19	10220 19/10150 12	10220 12/ C150 12	10220 12/10150 15	11/220 12/11/50 10	3000	IC150-15	18150-10	IN150 10	10 10 12	0220 15	162012	1C220 19704150 T0	10220 12/10150 10	11920 12/11/50 10
3300	T8150 10	TB150 10 TB150 10	131.40.15	10150-15 10226-12	18220-19 16220-19/16:50-10	1C220 19/10150 12 1C220 19/10150 15	18226 12/ C150 15 18226 12/ C150 15	18220 12/14150 10 18220 12/14150 10	18220 15/18150 10	3300	IC150-15	18150-10 18150-10	10150-10	19530-55	18220 15	10220-19/-1050-10 10220-19/-1050-10	16220-19/18150-10 16220-19/18150-10	10220 12/10150 1G 10220 12/10150 12	11220 12/10150 12 11820 12/10150 15
3600	T8150 10 T8150 10	TB150 10 TB150 12	131-00-15	10220-12	IL220 19/18: 30 10	16220 12/10150 12	18220-12/10150-15 18220-12/18150-15	10220 12/10150 12	18220 15/18150 12 18220 15/18150 12	3600	TB150-10	18150-10 TB150-10	IH150-12	19159-15	18220-15	IC220 197 1050 12	16220 19/18150 15	18220 1x/10150 12	18220 12/18150 10
4200	TB150 10	TB150-17	131-00-15	10220-15	10220 19/18: s0 12	18220 12/10/54 15	10220 12/10150 10	1822012/1415015	18220 15/18150 15	4200	TB150-10	TB150-10	18150-15	18150.15	18220-15	16220 19/10150 12	16220 19/18150 15	IR220 12/10/150 US	18220 12/18150 10
4500	T8150 10 T8150 10	T8150 15 T8150 15	1 1 1 2 2 0 1 2 1 1 2 2 0 1 2	10220-15 10220-10	10220 19/19:50 12 10220 19/18:50 15	11220-12/10150-15 11220-12/18150-10	18220 12/ 81:9-12 18220 12/18150 12	10220 12/14150 15 18220 12/14150 15	19220 15/08150 15 19220 15/08150 15	4500	T8150-10 T8150-10	TB150-10 TB150-10	04150-15 10150-15	11.50.15 19220-12	10220-10 10220-19/18130-10	10220-19/11150-12 10220-19/11150-15	1C220 19/10159 15 18220 12/10150 12	10220 12/10150 15 18220 12/14150 10	18220 12/18150 18 18220 12/18150 12
5100	TB150 10	TB150 IN	13220.12	(11226-1-)	10220 19/18: sc 1s	10220 12/10150 10	18220 12/ 8150 12	18220 15/14150 15	18220 15918150 15	5100	TB150-10	TB150-10	18150-15	18220 1.	10220 19/18:50 10	10220 19/11/50 15	18220 12/10150 15	18220 12/14150 LC	18220 12/18150 15
Region C T.C.3	_									Region CT.C.3									
Door width	2100	2400	2/09	1000	Roller do aGUU	ar Head heights: 4200	4569	6400	5100	Door width	2100	2400	2700	3000	Roller door He 3600	ad heights: A200	4,00	4400	5130
2100	TR220-12 TR220-12	TR220-12 TR220-17	1 1038 13	10220-12	18220 19 16220 15/16136 10	0020-19 0620-19/0450-15	10220-19/10150-15 SECON 10220-12/10190-10	Socked 1920 12/10:50 10 Socked 1920 15/10:50 10	Starked '8220 12/17150 12 starked 16220 12/17150 10	2100 2400	TB150 12	TB150 12 TB150 15	IN150-15 IN150-15	18926-12 19229-15	11720-19 114489-19	16226 197 1658 12 16220 197 1658 15	Stated HD20 12 Stated HD20 15	Stacked 18220-15 Stacked 18220-15	Stocked 10220-15 Stocked 10220-15
2/00	18220-12	16220-12	13220 12	18220-15	16720-19/10: s0-1s	Stocked (8220-12/10150-10	Stock #118220 12/10150 10	Statilied 18220-15/10050-12	Stacked 16220 15/18150 10	2700	T8150 12	TB150 15	18220.12	18720 1.4	10220 19/08150 12	Stix ord 18220-12	Star (eff 10220-15	SLicked 18220-19	Markee 16220 19/10150 10
3000	18220-12	16220-12	1 \$20.12	10220-15	10220 19VIC: JC 15	Studied 11/226 12/10150-10	Stack of 19220-12/10150-15	Studied 1 #20 15/10 50 15	Stocked: 1020 157 8150 10	3000	T8150 15	TB150 15	10220-15	1-1226-13	10220-19/10:5-0-15	Stat and 10220-12	Stat out 11/220-15	51.0 kml 11020 19/10150 10	Stacker: 1/220 197 1150-10
3900	18220-12	16220-12	1 5220 15	18220 10	16220-19/1815G-15 Station 18220-12	Sticket (18220-12/10150-10 Sticket (1826-12/10150-12	Shick # 18220 15/10150 12 Shick # 18220 15/10150 15	Stacked (3220 15/13150 10 Stacked (3220 15/13150 10	Stacked: 6220 15/18150 12 Stacked 16220 19/18150 12	3300	T8220 12 T8220-12	TB220 12 TB220-15	18220-15	13220 19	Stacked 18220-12 Stacked 18220-12	Stirc and THAZED 15 Star and THZZO 15	Stacked 18220 19 Stacked 18220 19	Stacked (8220-19/10150-10 Stacked (8220-19/10150-10	Stockee 8220 19/10150 12 Stockee 16220 19/10150 15
3900	18220-12	18220-12	1.020.15	11/220/15/ 18150/12	Stocked III.2202	Sticked (1922) 12/10/150/15	States 19229 15/10150 15	strekel (\$20 15/18.50 15	sticked 1420-19/18150-15	3900	TR220-12	TR220-15	11/2/20 1 9	1 920 19/181 /0 10	Stacked ID220 12	55 nc ord 18.220 15	Sticked 19220 19/10150 10	stacked (0220-19/10150-10	staket 122010/1015015
4200	18220-12	18220-12	13220-15	16220-197 £150-15 16220-197 8150-10	Stacked 18220-12 Stacked 18220-12	51 x 8/6 F0220 15/10150 12 50 x 8/6 F0220 15/10150 15	Stocket 08220 15/18150 12 Stock et 0826 15/18150 12	Stacked 1 8220 19/19150 12 Stacked 1 8220 19/19 50 12	Stacked 18220 19/18150 15 Stacked 18220 19/18150 15	4200	TR220-12 TR220-12	TB220-15 TB220-15	18220-19 18220-19	19220-197161-0-12 19220-197161-0-15	Stacked 1822d 15 Stacked 18220 15	51 ic ord 11228 15 50x ord 18228 15	Stacked 18220 19/10150 10 Stacked 18220 19/10150 10	Stacked (8220-19/10150-12 Stacked (8220-19/10150-12	Motket: 16220 19/18153 15 Stacket: 16220 19/18223 19
4800	18220-12	18220-15	1 1220 19	18220 107 8150 12	Storckind HM220 1.2	Sticket (8276-15/13150-10	Sticked 18220 15/18150 12	Stacked 1 (220-10/13150-15	Stocked 6220 10/10220 15	4800	TR220-12	TR220-15	1822018	1 1220 19/181-0 15	stacked IB220 15	55 nc ord 18220-19	Stacked (18220-19/10150-10)	Stacked 11420 19/10150 15	stockee 16220 10/18220 15
5100	18220-12	18220-15	13220-11	110220 195 1850 12	Stackert 18220 12	51 is ked (1926) 15/14150-18	9.4 k 41 182 20 19/181 50 12	Stacked 1 020 19/13/58 15	N/A.	5100	18220-15	18220-19	18220-19	1.020 19/161-0-15	Starked 10220-15	Star red (1122/1-19	Stuck-st 10220 19/10190 13	Starked 10220 10/10220 10	. N/A
Region C 1.C.2.5 & 1.C.2					Baller da	ar Head heights:				Region C I C 2.5 & L	£2				Roller door He	ud helphts:			
Door width	2100	2400	2/09	1090	a600	4200	4569	4800	5130	Door width	2100	2400	2709	3006	1000	4107	4,60	4×00	5130
2100	T8220-12 T8220-12	TB220-17 TB220-12	13220-15	10220-15	16720 19/18: s0 1s 16220 19/18220 19	Stacked 18220-15 Stacked 18220-15	Starten 18720-19 Starten 18220-15/-C150-10	Surked 1920 15/1634-10 Stoked 1920 15/16 50 15	Stacked 16220 15/10150 15 stacked 16220 15/10150 15	2100 2400	18150-15	18220-12 18220-15	18220-15	18226-14	10220-19/18:58-15 56/06/10220-12	Star red 18270-12 Star red 18220-15	Star cel 11220-15 Star cel 11220-15	Starley 18220-15 Starley 18220-19	Starked 10720-19 Starked 10220-19
2700	T8220-12	T8220-15	13220-15	fil220-19	Sordered (HSZ20, 15	SLICKER HIZZO 15/10158 18	Strick-d 18220 19/10150 13	Straked (\$220 19/13150 10	Sticked 16220 16/18150 15	2/00	18220-12	18220-15	18220-19	14220 19/18120 10	Stacked (8220-12	Stic ord 19220-15	Stat and 18220-19	Studied 18220-19	SLicker 16220 19/18150 15
3000	TB220-12 TB220 12	T8220 15 T8220 15	13220-10	16220-197-0150-15 18220-197-0150-15	Stanked 18220 15 Stacked 18220 19	Sticked (0226-15/0150-15 Sticked (0220-15/0150-15	Stark of 11920 19/10150 10	Stacked 1920-19/18254115	5Licked 16220 19/18223 19 N/A	3000 .	18220-12	18220-15 18220-19	18220-19 18220-19/10153-10	1 1226 14/1161 v6 15 Statiked 116220 12	Stacked IB220-12 Stacked IB220-15	Star and 10220-15 Star and 10220-19	Star ent HD20-19 Stacked H020-19/18130-15	Stacked 18220 19/18150 12	. N/A.
3600	T6220 12	T6220 19	1 5220 19 18220 19/10150 12	Stacken (B220-12	Stacked 18220-10	Sticked (1220-15/10150-15 Sticked (1220-19/14150-18	SERVER 18220 19/10150 15 SERVER 18220 19/10150 15	Stacked 1 6220 11/19/220 70 N/A	N/A	3600	T8220-15	TB220-19	18220 19/18150 15	Stacked 18220-12 Stacked 18220-12	Starkett 18220-15	SLis red '8220-19	State of 18220 19/18220 19 State of 18220 19/18220 19	N/A	N/A
3900	T6220 15	T8220 1:9	10220-19210150 ->	Stackro 1102/0-12	Studied 10220 - 3	Studied (1026-19/14/50-15	SERVER 1102/0-19/10150-15	N/A	N/A N/A	3900	T8220-15 T8220-15	TB220-19 TB220-19/TC150-10	Starked 1020-12	Stacked 10220-12 Stacked 10220-12	Stacked IN220 15	Staced 1026 19/0150-10	N/Λ	N/7	N/A N/A
4200	T8220 15 T8220 15	T8220 19 T8220 19	18220 19/19150 15 18220 19/1920 15	Stackre 18220 12 Stackre 18220 15	Stacked (8220 15/10150 10 Stacked (8220 15/10150 10	SLICKER 18220 19/14150 15 SLICKER 18220 19/14150 15	54 ick. # 18220 19/18220 19 N/A	N/A N/A	N/A N/A	4200	T8220-15 T8220-15	TB220-19/TC150-10 TB220-19/TC150-15	Stacked BZ20 12 Stacked '8220 12	Stacked 18220-12 Stacked 18220-12	Stacket 10220-15 Stacked 10220-19	Star ed 18220 19/18150 15 Star ed 18226 19/18150 15	N/A	N/A N/A	. N/A. N/A
4800	TB220 15	T8220 15	Scacked 18220-12	Stackre 18220 15		51 ic ked 11/220 19/14220 19	N/A	N/A	N/A	4800	T8220 19	TB220 19/TB150 12	Stacked UZZU 1Z	Slacked 18220 15	Stacked IR220 19	N/A	N/A.	N/A	N/A
	18220 15	TB220 19	Starked 18220-12	Slackrit fil220-15	Stanlard 1872/0.19/10150-17	Stockett (1270-19/13220-19	N/A	N/A	N/A		18220 19	TB220 19/TB150 15	Slackerd '9220-12	Slarked 18720-15	Starked III220 15	N/A	N/A	N/A	N/4.
GABLE WALL SIDE WALL ROLLER DOOR HEAD BEAM SPECIFICATIONS: MIN. QTY OF ANCHORS TO SLAB (RAD JAMBS):																			
Region A T.C RAD Head He			Region B T.C.2 RAD Head Heigh	at:	Region C T. RAD Head H		Region C T.C. RAD Head He			egion A T.C.2/B T.C. AD Head Height:	.3		Region B T.C.2 RAD Head Height:		Region C T. RAD Head H			n C T.C.2.5/T.C.2 Head Height:	
Door width 3000	3600	4200 5		3600 4200		3600 4200	5100 3000	3600 4200	5100 Door width	3000	3600	4200 5100		3600 4200	5100 300	1	200 5100	3000 3600	4200 5100
2100 B80x60	B80×60 B80	<60 B80×60	B80×60 B80	×60 B80×60	B80×60 B80×60				80x60 2100 2	/M12x100 2/M12	×100 2/M	12x100 2/M12x100	2/M12x100 2/M1	2x100 2/M12x100 2	/M12×100 2/M12×100	2/M12x100 2/M12x1	00 3/M12x100 3/M1	2x100 3/M12x100 4/	M12x100 4/M12x100
	B80×60 B80				B80x60 B80x60							12x100 2/M12x100			/M12×100 2/M12×100		00 3/M12×100 3/M1		M12x100 5/M12x100
3000 B80x60	B80x60 B80			x60 B80x60	B80x60 B80x60	B80x60 B80x60				/M12×100 2/M12					/M12x100 3/M12x100		00 4/M12x100 4/M1		M12×100 5/M12×100
3600 B80x60 B	B80×60 B80			50-10 TB150-10	TB150-10 TB150-10					/M12×100 2/M12		12×100 2/M12×100			/M12x100 3/M12x100		00 4/M12x100 4/M1		M12x100 6/M12x100
		0-10 TB150-		50-10 TB150-10				B150-10 TB150-10 N		/M12x100 2/M12		12×100 2/M12×100			/M12×100 3/M12×100		00 5/M12x100 4/M1		M12x100 N/A
4800 TB150-10 T 5100 TB150-10 T		50-10 TB150- 50-10 TB150-			TB150-12 TB150-10 TB150-12 TB150-12		TB150-12 TB150-10 T TB150-12 TB150-10 T					12x100 3/M12x100 12x100 3/M12x100			/M12x100 3/M12x100 /M12x100 4/M12x100	0 4/M12x100 4/M12x1 0 4/M12x100 5/M12x1	00 5/M12x100 5/M1 00 6/M12x100 5/M1		a N/A
Summermo	re Ptv Lt	d l cert	fy that buildings ed in accordance																-
Consulting Engineers		with	hese drawings will ly with the Building				SP/	ANBILD F	PTY LIMIT	ΓED		GEN	IERIC					∣ SB	P-S6
ACN: 108 898 433 ABN: 42 108 898 433 ron@surrenermore.com.au	/ (Г	Code	of Australia.								P	ORTAL E		<u> </u>					
www.summermore.com.au) Rona	ld A Bell					74 Platinum	St Crestmead					чэ ко	LLER DC	OR JAMI	D LARLE	> PI	EV B
PO Box 1671 Browns Plains BC, QLD, 411	. الــړ	Grad	Cert (Tech Mgt),	BEng Civil (Hon	s), PEng, MIEAust (89 0596ES), RBP(Tas)(C	1940), RPEQ		Brisbane	QLD 4132 FAX: (07) 3803 23	015									
PO Box 1671 Browns Plains BC, QLD, 411 Phone: 07 3800 0973 Fax: 07 3800 1860	\sim	(671	5), RBP(Vic)(EC27 5), JP(Oual),	967), RBP(NT)(6	0596ES), RBP(Tas)(C	C5556C), MAIB	"	1. (07) 3627 8000	FAA: (07) 3803 23	510								REVISION SUFFIX	
		(922	an ar (Qudi).								1								











					Fo	ooting	s End f	rames	All he	ights											F	ooting	s Inte	rmedi	ate fra	mes A	ll heig	ts					
				Wind Zone and Terrain Category															0			d Zone a			·								
Pressure	coefficient		. 1	nclosed	Pressur	e					Ope	ned Pre	ssure				Pressure c	oefficient:		E	nclosed	Pressur	e					Oper	ned Pres	sure			
Bay																	Bay															69 F	
Space 3.0	Span 3.0	A3	A2.5	A2	B3	B2.5	B2	A3	A2.5	A2	B3	B2.5	B2	C3	C2.5	C2	Space 3	Span 3.0	A3	A2.5	A2	B3	B2.5	B2	A3	A2.5	A2	B3	B2.5	B2	C3	C2.5	C2
3.0	4.0				*****			*****			*****		****			Pad 3	3	*****												Pad 3		Pier 1	
3.0	5.0														Pad 3		3	5.0						Pad 3				Pad 2	Pier 1	Pier 1	Pier 1	Pier 1	
3.0	6.0											Pad 3	Pad 3	Pad 3	Pier 1	Pier 1	3	6.0					Pad 3	Pier 1			Pad 2	Pier 1	Pier2				
3.0	7.0					Pad 1	Pad 3				Pad 2	Pad 3	Pier 1	Pad 3	Pier 1		3					Pad 3	Pier 1	Pier 1		Pad 3	Pad 3	Pier 1	Pier 1	Pier 1	Pier 1	Pier 2	
3.0	8.0				- 14	Pad 3	Pad 3				Pad 3	Pier 1	Pier 1	Pier 1	Pier 1		3			0.10	Pad 3	Pier 1	Pier 1	Pier 1	Pad 2	Pier 1		Pier 1	Pier 1	Pier 1	Pier 1	Pier 3	
3.0 3.0	9.0 10.0				Pad 3 Pad 3	Pad 3	Pier 1 Pier 1		Pad 1 Pad 3	Pad 3 Pad 3	Pier 1		3			Pad 3 Pad 3	Pad 3 Pier 1	Pier 1 Pier 1	Pier 1 Pier 1	Pier 1 Pier 1	Pad 3 Pier 1	Pier 1 Pier 1	Pier 1 Pier 1	Pier 1 Pier 1	Pier 2 Pier 2	Pier 2 Pier 3	Pier 2 Pier 2	Pier 3 Pier 3					
3.0	10.0			Pad 2	Pad 3 Pad 3	Pier 1 Pier 1	Pier 1 Pier 1		Pad 3 Pad 3	Pad 3 Pier 1	Pier 1 Pier 1		3		Pad 3		Pier 1	Pier 1	Pier 1	Pier 2	Pier 1	Pier 1			Pier 2	Pier 3	Pier 2	Pier 3					
3.0	12.0		Pad 2	Pad 3	Pier 1	Pier 1	Pier 1	Pad 3	Pad 3	Pier 1	Pier 1	Pier 1	Pier 1	Pier 1	Pier 2		3		Pad 3		Pier 1	Pier 1	Pier 2	Pier 2	Pier 1		Pier 1		Pier 3	Pier 3	Pier 3	Pier 4	
3.5	3.0																3.5	3.0														Pad 3	
3.5	4.0														Pad 3	Pad 3	3.5	4.0											Pad 3	Pad 3	Pad 3	Pier 1	Pier :
3.5	5.0											Pad 2	Pad 3	Pad 2			3.5	5.0					Pad 3	Pier 1				Pad 3	Pier 1	Pier 1		Pier 1	
3.5	6.0					Pad 1	Pad 3				Pad 2	Pad 3	Pier 1	Pad 3	Pier 1		3.5	6.0				Pad 3	Pier 1	Pier 1		Pad 3	Pad 3	Pier 1	Pier 1	Pier 1	Pier 1	Pier 2	
3.5	7.0				D1-2	Pad 3	Pad 3		0-12	D- 12	Pad 3	Pier 1		Pier 1	Pier 1		3.5	7.0		Pad 3	Pad 3 Pad 3	Pier 1 Pier 1	Pier 1 Pier 1	Pier 1 Pier 1	Pad 2 Pad 3	Pier 1 Pier 1	Pier 1 Pier 1	Pier 1 Pier 1	Pier 1 Pier 2	Pier 2 Pier 2	Pier 1 Pier 2	Pier 3 Pier 3	
3.5 3.5	8.0 9.0			Pad 1	Pad 3 Pad 3	Pad 3 Pier 1	Pier 1 Pier 1		Pad 2 Pad 3	Pad 3 Pad 3	Pier 1 Pier 1		3.5		Pad 1	Pier 1	Pier 1	Pier 1	Pier 1	Pier 2	Pier 1	Pier 1		Pier 1	Pier 2		Pier 3	Pier 3					
3.5	10.0		Pad 1	Pad 3	Pad 3	Pier 1	Pier 1	Pad 3	Pad 3	Pier 1	Pier 1	Pier 1	Pier 1	Pier 1	Pier 2		3.5			Pier 1	Pier 1	Pier 1	Pier 2		Pier 1	Pier 1						Pier 4	
3.5	11.0		Pad 3	Pad 3	Pier 1	Pier 1	Pier 1	Pad 3	Pier 1	Pier 1	Pier 1	Pier 1	Pier 1	Pier 1	Pier 2		3.5	11.0	Pier 1	Pier 1	Pier 1	Pier 1	Pier 2	Pier 3	Pier 1	Pier 1	Pier 1	Pier 3	Pier 3	Pier 3	Pier 3	Pier 4	Pier !
3.5	12.0		Pad 3	Pad 3	Pier 1	Pier 1	Pier 1	Pad 3	Pier 1	Pier 1	Pier 1	Pier 1	Pier 1	Pier 1	Pier 3	Pier 3	3.5		Pier 1	Pier 1	Pier 1	Pier 1	Pier 3	Pier 3	Pier 1	Pier 1	Pier 2	Pier 3	Pier 3	Pier 3	Pier 3	Pier 4	Pier
4.0	3.0															Pad 3	4													Pad 1		Pier 1	
4.0	4.0														Pad 3		4	4.0				Ded 2	Direct.	Pad 3			Ded 2	Pad 2	Pier 1	Pier 1		Pier 1	
4.0	5.0 6.0					Pad 3	Pad 2 Pad 3				Pad 3	Pad 3 Pier 1	Pad 3 Pier 1	Pad 3	Pier 1 Pier 1		4				Pad 1	Pad 2 Pier 1	Pier 1 Pier 1	Pier 1 Pier 1		Pad 3	Pad 3 Pier 1	Pier 1 Pier 1	Pier 1 Pier 1	Pier 1 Pier 1	Pier 1 Pier 1	Pier 2 Pier 3	
4.0	7.0				Pad 3	Pad 3	Pier 1		Pad 1	Pad 3	Pad 3 Pier 1	Pier 1	Pier 1	Pier 1 Pier 1	Pier 1		4			Pad 3	Pad 3	Pier 1	Pier 1	Pier 1	Pad 3	Pier 1			Pier 2			Pier 3	
4.0	8.0			Pad 1	Pad 3	Pier 1	Pier 1		Pad 3	Pad 3	Pier 1		4			Pier 1	Pier 1	Pier 1	Pier 1	Pier 2	Pier 1	Pier 1	Pier 1	Pier 1	Pier 3		Pier 3	Pier 3					
4.0	9.0		Pad 1	Pad 3	Pier 1	Pier 1	Pier 1	Pad 3	Pad 3	Pier 1	Pier 1	Pier 1	Pier 1	Pier 1	Pier 2		4	9.0	Pad 3	Pier 1	Pier 1	Pier 1	Pier 2		Pier 1	Pier 1	Pier 1	Pier 2	Pier 3	Pier 3	Pier 3	Pier 4	Pier 4
4.0	10.0		Pad 3	Pad 3	Pier 1	Pier 1	Pier 1	Pad 3	Pier 1	Pier 1	Pier 1	Pier 1	Pier 1	Pier 1	Pier 2	Pier 3	4		Pier 1	Pier 1	Pier 1	Pier 1	Pier 2	Pier 3	Pier 1	Pier 1	Pier 2	Pier 3	Pier 3	Pier 3	Pier 3	Pier 4	
4.0	11.0		Pad 3	Pier 1	Pier 1	Pier 1	Pier 1	Pad 3	Pier 1	Pier 1	Pier 1	Pier 1	Pier 2	Pier 1	Pier 3		4		Pier 1		Pier 1	Pier 2	Pier 3	Pier 3	Pier 1	Pier 2			Pier 3	Pier 4	Pier 3	Pier 5	
4.0	12.0	Pad 3	Pad 3	Pier 1	Pier 1	Pier 1	Pier 1	Pier 1	Pier 1	Pier 1	Pier 1	Pier 1	Pier 2	Pier 2	Pier 3	Pier 3	4	12.0	Pier 1	Pier 1	Pier 1	Pier 2	Pier 3	Pier 3	Pier 1	Pier 2	Pier 3	Pier 3	Pier 3	Pier 4	Pier 4	Pier 5	Pier
C Pad 1 3 Pad 2 3	ooting Req Cont. Footin 600 SQR. x 2 600 SQR. x 3	ngs 200x 00 deep 00 deep	o Pad Fo o Pad Fo	oting oting	Below	specifica	ations ar	e additi	onal																								
	00 SQR. x 4 50 DIA. x 60				Paco	OR	350 DIA	v 10F0	Doon Pr	rod Dice																							
	50 DIA. x 80					OR	350 DIA																										
	50 DIA. x 12			'		OR	450 DIA																										
	50 DIA. x 10					OR			Deep Bo																								
Pier 5 4	50 DIA. x 12	200 Dee	p Pier S	played a	t Base	OR	600 DIA	. x 2200	Deep Bo	red Pier																							
Pier66	00 DIA. x 10	000 Dee	p Pier S	played a	t Base	OR	600 DIA	. x 2600	Deep Bo	ored Pier																							
Consulting Eng	ermore Pt	ty Ltd	erecte with th	y that buildin d in accorda ese drawing y with the Bu	ice s will		G FIEAut	Ronal Registered Prof rad Cett (Tech My (391940), CMEng APEC Enviro	d A. Bell essional Engineer e), BEng Cwil (Hor NZ (1027605), CPE err, Int?El/Aus).	a), ge ner,		sτ	EE		s	ΗE	D S		GE	NERI	с										SBF	- S ⁻	13
CH: 108 088 433 (6H: 42 108 688 433 on@summermore.co www.summermore.co 20 Box 1671 Srowns Plains BC	·····	$\left[\right] $	Code	of Australia. Id A Bell	ung		Simol		L2020					AUS	TRAL 35 514	.IA 304		POR	TAL	BUIL	DING	GS	со	NCR	ETE	SLA	B DE	ETAII	LS 3		RF	EV	Δ

Reasons for Decision

- 1. The reasons for this decision are:
 - a. Sections 60, 62 and 63 of the *Planning Act 2016*:
 - b. to ensure the development satisfies the benchmarks of the 2018 Douglas Shire Planning Scheme Version 1.0; and
 - c. to ensure compliance with the *Planning Act 2016*.
- 2. Findings on material questions of fact:
 - a. the development application was properly lodged to the Douglas Shire Council 9 August 2021 under section 51 of the *Planning Act 2016* and Part 1 of the *Development Assessment Rules*;
 - b. the development application contained information from the applicant which Council reviewed together with Council's own assessment against the 2017 State Planning Policy and the 2018 Douglas Shire Planning Scheme Version 1.0 in making its assessment manager decision.
- 3. Evidence or other material on which findings were based:
 - a. the development triggered assessable development under the Assessment Table associated with the Conservation Zone Code;
 - b. Council undertook an assessment in accordance with the provisions of sections 60, 62 and 63 of the *Planning Act 2016*; and
 - c. the applicant's reasons have been considered and the following findings are made:
 - i. Subject to conditions, the development satisfactorily meets the Planning Scheme benchmarks.

Non-Compliance with Assessment Benchmarks

None. Through the conditions of the approval the development complies with the planning scheme and no concerns are raised.

Extracts from the Planning Act 2016 - Making Representations During Applicant's Appeal Period

Planning Act 2016 Chapter 3 Development assessment

[s 74]

Division 2 Changing development approvals

Subdivision 1 Changes during appeal period

74 What this subdivision is about

- (1) This subdivision is about changing a development approval before the applicant's appeal period for the approval ends.
- (2) This subdivision also applies to an approval of a change application, other than a change application for a minor change to a development approval.
- (3) For subsection (2), sections 75 and 76 apply-
 - (a) as if a reference in section 75 to a development approval were a reference to an approval of a change application; and
 - (b) as if a reference in the sections to the assessment manager were a reference to the responsible entity; and
 - (c) as if a reference in section 76 to a development application were a reference to a change application; and
 - (d) as if the reference in section 76(3)(b) to section 63(2) and (3) were a reference to section 83(4); and
 - (e) with any other necessary changes.

75 Making change representations

- (1) The applicant may make representations (*change representations*) to the assessment manager, during the applicant's appeal period for the development approval, about changing—
 - (a) a matter in the development approval, other than-
 - (i) a matter stated because of a referral agency's response; or

Page 94

Current as at 18 June 2021

- (ii) a development condition imposed under a direction made by the Minister under chapter 3, part 6, division 2; or
- (b) if the development approval is a deemed approval—the standard conditions taken to be included in the deemed approval under section 64(8)(c).
- (2) If the applicant needs more time to make the change representations, the applicant may, during the applicant's appeal period for the approval, suspend the appeal period by a notice given to the assessment manager.
- (3) Only 1 notice may be given.
- (4) If a notice is given, the appeal period is suspended-
 - (a) if the change representations are not made within a period of 20 business days after the notice is given to the assessment manager—until the end of that period; or
 - (b) if the change representations are made within 20 business days after the notice is given to the assessment manager, until—
 - (i) the applicant withdraws the notice, by giving another notice to the assessment manager; or
 - (ii) the applicant receives notice that the assessment manager does not agree with the change representations; or
 - (iii) the end of 20 business days after the change representations are made, or a longer period agreed in writing between the applicant and the assessment manager.
- (5) However, if the assessment manager gives the applicant a negotiated decision notice, the appeal period starts again on the day after the negotiated decision notice is given.

76 Deciding change representations

 The assessment manager must assess the change representations against and having regard to the matters that

Current as at 18 June 2021

Page 95

[s 76]

must be considered when assessing a development application, to the extent those matters are relevant.

- (2) The assessment manager must, within 5 business days after deciding the change representations, give a decision notice to—
 - (a) the applicant; and
 - (b) if the assessment manager agrees with any of the change representations—
 - (i) each principal submitter; and
 - (ii) each referral agency; and
 - (iii) if the assessment manager is not a local government and the development is in a local government area—the relevant local government; and
 - (iv) if the assessment manager is a chosen assessment manager—the prescribed assessment manager; and
 - (v) another person prescribed by regulation.
- (3) A decision notice (a *negotiated decision notice*) that states the assessment manager agrees with a change representation must—
 - (a) state the nature of the change agreed to; and
 - (b) comply with section 63(2) and (3).
- (4) A negotiated decision notice replaces the decision notice for the development application.
- (5) Only 1 negotiated decision notice may be given.
- (6) If a negotiated decision notice is given to an applicant, a local government may give a replacement infrastructure charges notice to the applicant.

Page 96

Current as at 18 June 2021

Extracts from the Planning Act 2016 – Appeal Rights

Planning Act 2016 Chapter 6 Dispute resolution

[s 229]

Chapter 6 Dispute resolution

Part 1 Appeal rights

229 Appeals to tribunal or P&E Court

- (1) Schedule 1 states-
 - (a) matters that may be appealed to-
 - (i) either a tribunal or the P&E Court; or
 - (ii) only a tribunal; or
 - (iii) only the P&E Court; and
 - (b) the person-
 - (i) who may appeal a matter (the *appellant*); and
 - (ii) who is a respondent in an appeal of the matter; and
 - (iii) who is a co-respondent in an appeal of the matter; and
 - (iv) who may elect to be a co-respondent in an appeal of the matter.
- (2) An appellant may start an appeal within the appeal period.
- (3) The appeal period is-
 - (a) for an appeal by a building advisory agency—10 business days after a decision notice for the decision is given to the agency; or
 - (b) for an appeal against a deemed refusal—at any time after the deemed refusal happens; or
 - (c) for an appeal against a decision of the Minister, under chapter 7, part 4, to register premises or to renew the registration of premises—20 business days after a notice is published under section 269(3)(a) or (4); or

Current as at 18 June 2021

Page 213

(d)	for	an	appeal	against	an	infrastructure	charges					
	notice-20 business days after the infrastructure charges											
	notice is given to the person; or											

- (e) for an appeal about a deemed approval of a development application for which a decision notice has not been given—30 business days after the applicant gives the deemed approval notice to the assessment manager; or
- (f) for an appeal relating to the *Plumbing and Drainage Act* 2018—
 - (i) for an appeal against an enforcement notice given because of a belief mentioned in the *Plumbing and Drainage Act 2018*, section 143(2)(a)(i), (b) or (c)-5 business days after the day the notice is given; or
 - (ii) for an appeal against a decision of a local government or an inspector to give an action notice under the *Plumbing and Drainage Act 2018*—5 business days after the notice is given; or
 - (iii) otherwise—20 business days after the day the notice is given; or
- (g) for any other appeal—20 business days after a notice of the decision for the matter, including an enforcement notice, is given to the person.

Note-

See the P&E Court Act for the court's power to extend the appeal period.

- (4) Each respondent and co-respondent for an appeal may be heard in the appeal.
- (5) If an appeal is only about a referral agency's response, the assessment manager may apply to the tribunal or P&E Court to withdraw from the appeal.
- (6) To remove any doubt, it is declared that an appeal against an infrastructure charges notice must not be about—
 - (a) the adopted charge itself; or

Page 214

Current as at 18 June 2021

- (b) for a decision about an offset or refund-
 - the establishment cost of trunk infrastructure identified in a LGIP; or
 - the cost of infrastructure decided using the method included in the local government's charges resolution.

230 Notice of appeal

- An appellant starts an appeal by lodging, with the registrar of the tribunal or P&E Court, a notice of appeal that—
 - (a) is in the approved form; and
 - (b) succinctly states the grounds of the appeal.
- (2) The notice of appeal must be accompanied by the required fee.
- (3) The appellant or, for an appeal to a tribunal, the registrar, must, within the service period, give a copy of the notice of appeal to—
 - (a) the respondent for the appeal; and
 - (b) each co-respondent for the appeal; and
 - (c) for an appeal about a development application under schedule 1, section 1, table 1, item 1—each principal submitter for the application whose submission has not been withdrawn; and
 - (d) for an appeal about a change application under schedule 1, section 1, table 1, item 2—each principal submitter for the application whose submission has not been withdrawn; and
 - (e) each person who may elect to be a co-respondent for the appeal other than an eligible submitter for a development application or change application the subject of the appeal; and
 - (f) for an appeal to the P&E Court—the chief executive; and

Current as at 18 June 2021

Authorised by the Parliamentary Counsel

Page 215

- (g) for an appeal to a tribunal under another Act—any other person who the registrar considers appropriate.
- (4) The service period is-
 - (a) if a submitter or advice agency started the appeal in the P&E Court—2 business days after the appeal is started; or
 - (b) otherwise-10 business days after the appeal is started.
- (5) A notice of appeal given to a person who may elect to be a co-respondent must state the effect of subsection (6).
- (6) A person elects to be a co-respondent to an appeal by filing a notice of election in the approved form—
 - (a) if a copy of the notice of appeal is given to the person—within 10 business days after the copy is given to the person; or
 - (b) otherwise—within 15 business days after the notice of appeal is lodged with the registrar of the tribunal or the P&E Court.
- (7) Despite any other Act or rules of court to the contrary, a copy of a notice of appeal may be given to the chief executive by emailing the copy to the chief executive at the email address stated on the department's website for this purpose.

231 Non-appealable decisions and matters

- Subject to this chapter, section 316(2), schedule 1 and the P&E Court Act, unless the Supreme Court decides a decision or other matter under this Act is affected by jurisdictional error, the decision or matter is non-appealable.
- (2) The Judicial Review Act 1991, part 5 applies to the decision or matter to the extent it is affected by jurisdictional error.
- (3) A person who, but for subsection (1) could have made an application under the *Judicial Review Act 1991* in relation to the decision or matter, may apply under part 4 of that Act for a statement of reasons in relation to the decision or matter.

Page 216

Current as at 18 June 2021

[s 232]

(4) In this section—

decision includes-

- (a) conduct engaged in for the purpose of making a decision; and
- (b) other conduct that relates to the making of a decision; and
- (c) the making of a decision or the failure to make a decision; and
- (d) a purported decision; and
- (e) a deemed refusal.

non-appealable, for a decision or matter, means the decision or matter-

- (a) is final and conclusive; and
- (b) may not be challenged, appealed against, reviewed, quashed, set aside or called into question in any other way under the *Judicial Review Act 1991* or otherwise, whether by the Supreme Court, another court, any tribunal or another entity; and
- (c) is not subject to any declaratory, injunctive or other order of the Supreme Court, another court, any tribunal or another entity on any ground.

232 Rules of the P&E Court

- A person who is appealing to the P&E Court must comply with the rules of the court that apply to the appeal.
- (2) However, the P&E Court may hear and decide an appeal even if the person has not complied with rules of the P&E Court.

Current as at 18 June 2021

Page 217